

Work Order ID 65757

January 25, 2011 6:59:05 AM



Page 1

Item ID: D2274

Accept



Setup Start



Revision ID:

Item Name: Radius Block

Stop



Start Date: 1/25/11 Start Qty: 250.00

Required Date: 1/28/11 Req'd Qty: 250.00



Cust Item ID:

Customer:

Reference:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



| Sequence ID/ Work Center ID | Operation Description | Set Up/ Run Hours | Tool ID | Tool # | Plan Code | Accept Qty | Reject Qty | Reject Number | Insp. Stamp |
|--------------------------------|---------------------------------------------------------------|----------------------|---------|--------|--------------|---------------|---------------|------------------|----------------|
| Draw Nbr | Revision Nbr | | | | | | | | |
| D2274 | Rev F | | | | | | | | |
| 100 | | 0.00 | | | | | | | |
| | SHEAR | | | | | | | | |
| Shear | Memo | 0.00 | | | | | | | |
| Shear | blanks 9.00" long +/- 0.030" I (Note: 1 blank makes 9 pieces) | | | | | | | | |
| 110 | | 0.00 | | | | | | | |
| | HAAS CNC VERTICAL MACHINING #1 | | | | | | | | |
| HAAS 1 | Memo | 0.00 | | | | | | | |
| HAAS CNC vertical machine #1 | Machine as per folio D2274 | | | | | | | | |
| 120 | | 0.00 | | | | | | | |
| | QC2- Inspect parts off machine FAI/FAIB | | | | | | | | |
| QC | Memo | 0.00 | | | | | | | |
| Quality Control | | | | | | | | | |

x 28 *11.1.25* *250*

11.1.26 *250*

11.1.26 *250*

Scrap

Eng lab
11.06.02

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Work Order ID 65757

January 25, 2011 6:59:05 AM



Page 2

Item ID: D2274

Accept



Setup Start



Revision ID:

Item Name: Radius Block

Stop



Start Date: 1/25/11 Start Qty: 250.00



Cust Item ID:

Required Date: 1/28/11 Req'd Qty: 250.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop



| Sequence ID/ Work Center ID | Operation Description | Set Up/ Run Hours | Tool ID | Tool # | Plan Code | Accept Qty | Reject Qty | Reject Number | Insp. Stamp |
|------------------------------------------------|-----------------------------------------------------------------------|----------------------|---------|----------------|--------------|---------------|---------------|------------------|----------------|
| 130 QC Quality Control | QC8- Inspect parts - second check Memo | 0.00 0.00 | | B.A 11/01/27 | | 250 | 0 | | |
| 140 Small Fab Small Fab Small Fab | Small Fab Memo Tumble/Deburr any rough edges after tumbling | 0.00 0.00 | | | | | | B11-1-28 | (250) |
| 150 Hand Finish Hand Finishing | Chemical Conversion Coat per QS1005 4.1 Memo | 0.00 0.00 | | => HL 11/01/31 | | 250 | 0 | | |

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Work Order ID 65757

January 25, 2011 6:59:06 AM



Page 3

Item ID: D2274

Accept



Setup Start



Revision ID:

Item Name: Radius Block

Stop



Start Date: 1/25/11 Start Qty: 250.00



Cust Item ID:

Required Date: 1/28/11 Req'd Qty: 250.00



Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID,

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

160

QC3- Inspect Part Finish

0.00



QC

Memo

0.00

Quality Control

250 11-07-31

170

Identify as per dwg & Stock Location: 10

0.00



Packaging

Memo

0.00

Packaging

11/1/31 250 52

180

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/01/31

CD 11/01/31

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Picklist Print

January 25, 2011 6:59:01 AM

Page 1

Work Order ID: 65757

Parent Item: D2274

Parent Item Name: Radius Block



Start Date: 1/25/11

Required Date: 1/28/11

Start Qty: 250.00

Required Qty: 250.00

Comments: IPP H: 00.05.18: Added inspection level 8: IEC11

| Component Item ID/ Item Name | Replacement Item ID | Mfg/ Purch | Bin Item | Primary Location | Last Location | Route Seq ID | Unit of Measure | Qty on Hand | Qty per Kit | Total Qty | Qty Issued | Date Issued | Status |
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|-------------|--------------|---------------|----------------|--------|
| M6061T6B00750X00.1 25 | | Purchased | No | | | 100 | f | 70.0243 | 0.0916 | 24.10526 | | | |



Handwritten signature

Location

Loc Qty

Loc Code

MAT

51

116406

51

MAT01

19.0243

113608

14.75

113680

1.4947

113719

2.7796

3.4704

14.7500

2.7796

Handwritten circled number 21

*Acceptable
to use bar*

QF-A-200/8

*OR ASTM B221
PART IS NON-STRUCTURAL.*

CP 11.04.21

PS1012

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries



| | | | |
|----------------------|-----------------------|---------------------------------------------------|------------------------|
| DESIGN <i>KE</i> | DRAWN BY <i>KE</i> | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| CHECKED <i>MD</i> | APPROVED <i>KE</i> | DRAWING NO. D2274 | REV. F SHEET 1 OF 1 |
| DATE 98.08.11 | | TITLE RADIUS BLOCK | SCALE 2:1 |
| A | 94.09.29 | NEW ISSUE | |
| C | 95.07.12 | RADIUS ENDS | |
| D | 97.03.24 | ADD MATERIAL SPECIFICATION | |
| E | 97.12.12 | ADD FINISH & TOLERANCE QSI | |
| F | 98.08.11 | R0.0 - 0.13 WAS R0.063 - 0.125 | |

RELEASED
94/08/14 KE



ab06757

*cc 00.05.16
00.05.16*

*0.063 x 45° (HAMFER)
R0.0 - 0.13*

MATERIAL: 5052-H34 (QQ-A-250/8) 0.125 THICK
OR 6061-T6 (QQ-A-250/11) 0.125 THICK
FINISH: ACID ETCH, ALODINE PER DART QSI 005 4.1
TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

Dart Aerospace Ltd

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Receiving Report

Date: 10/1/25
 Supplier: MAGNA

Batch No: M113719
 Dart P/O: 11123

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☐

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☒ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection ☒ N/A ☐
 Work Order 11123 N/A ☐

Discrepancies

| Part Number | Description | Quantity Ordered | Quantity Received | Quantity Returned | Quantity Short | Comments |
|-------------|-------------|------------------|-------------------|-------------------|----------------|----------|
| M6061TCA | 200 WOODS | 40 | 0 | 0 | 40 | |
| M7075 | 1 X1 | 12 | 0 | 0 | 12 | |
| M2024 | | 64 | 0 | 0 | 64 | |

M6061 504

Initials of receiver (if shipment OK) Level 12
20 0 0 20

Production/Admin: _____
 Date _____
 Received/Costing _____
 Initial _____

Location _____



Magna Stainless

5775 Kieran St, Saint-Laurent QC H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

INVOICE

Pg 1 of 1 I022023

SOLD TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY , ON
K6A 1K7

SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY , ON
K6A 1K7

MTR:Y

| | |
|-----------------|----------|
| INVOICE DATE: | 01/21/10 |
| ORDER DATE: | 01/18/10 |
| SHIP DATE: | 01/21/10 |
| ORDER NUMBER: | W026074 |
| PURCHASE ORDER: | P011123 |

| Currency | Sales Person | Ship Via | F.O.B. | Terms |
|------------------|--------------|----------------|---------|-------------|
| CANADIAN DOLLARS | ERYCK BLAIS | NIR:R-557065-1 | PREPAID | NET 30 DAYS |

| Ln | Back Ordered | Ordered | Unit | Description | Shipped | Price Per | Value |
|----------------------|--------------|---------|------|----------------------------------------------------------------------|---------|-----------|--------|
| | | 2 | PC | STAINLESS SQUARES SSQ 303 CD 1" x R/L L035470 12'5" 2 PC/85 LB | 2 UN | 215.00 | 430.00 |
| RECEIVED JAN 28 2010 | | | | | | | |

01/22/10 14:16:32

PST Exmp No:EXEMPT

| | |
|---------------|--------|
| Merchandise: | 430.00 |
| Surcharges: | |
| No Tax Costs: | |
| GST | 21.50 |
| Total Due: | 451.50 |

Title to the goods sent out on this invoice remains with Magna Stainless Div of CSM ULC until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.


Q.S.T. # 1213236471
G.S.T. # 881565899 RY0001



Magna Stainless
5775 Kieran St, Saint-Laurent QC H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

INVOICE

Pg 1 of 1 I021967



SOLD TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY , ON
K6A 1K7

SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY , ON
K6A 1K7

MTR:Y

| | |
|-----------------|----------|
| INVOICE DATE: | 01/20/10 |
| ORDER DATE: | 01/19/10 |
| SHIP DATE: | 01/20/10 |
| ORDER NUMBER: | W024130 |
| PURCHASE ORDER: | P011123 |

| | | | | |
|------------------|--------------|----------------|---------|-------------|
| Currency | Sales Person | Ship Via | F.O.B. | Terms |
| CANADIAN DOLLARS | ERYCK BLAIS | NIR:R-557065-1 | PREPAID | NET 30 DAYS |

| Ln | Back Ordered | Ordered | Unit | Description | Shipped | Price Per | Value |
|----|--------------|---------|------|--------------------------------------------|---------|-----------|--------|
| | | | | ALUMINUM ANGLES | | | |
| | | 2 | PC | AAN 6063 T5 3/4" x 3/4" x 1/16" x R/L | 2 UN | 55.00 | 110.00 |
| | | | | L020061 21' 2 PC/4 LB <i>use to return</i> | | | |
| | | | | C OF C | | | |
| | | | | ALUMINUM FLATS | | | |
| | | 5 | PC | AFL 6061 T6 1/8" x 3/4" x R/L | 5 UN | 5.00 | 25.00 |
| | | | | L026372 20' 5 PC/11 LB | | | |
| | | 1 | PC | AFL 6061 T6 3/8" x 3/4" x R/L | 1 UN | 15.00 | 15.00 |
| | | | | L029383 20' 1 PC/7 LB | | | |

01/21/10 11:56:03

PST Exmp NO:EXEMPT

| | |
|---------------|--------|
| Merchandise: | 150.00 |
| Surcharges: | |
| No Tax Costs: | |
| GST | 7.50 |
| Total Due: | 157.50 |

Title to the goods sent out on this invoice remains with Magna Stainless Div of CSM ULC until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.

Q.S.T. # 1213236471
G.S.T. # 881565899 RT0001

January 25, 2010 10:41:14 AM

All amounts are calculated in domestic currency.

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

| Purchase Order ID/ Curr Type | Line Nbr/ Insp Req | Project ID | Reference/ Description/ Cert Std | PO U/M / Stock U/M | Required Date Required Qty | Recv Date/ Recv Emp | Recv Qty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MRB Qty/ MRB Reject Qty | Book Amt |
|---------------------------------|-----------------------|------------|----------------------------------------|-----------------------|-------------------------------|------------------------|----------------------|------------------------------|--------------------------------------------|----------------------------|----------|
| VendorID\Vendor Name | | VC-MAG002 | Magna Stainless | | | | | | | | |
| PO11123 | 1 | | M6061T6B00750X00 f .125 | | 1/20/2010 | 1/25/2010 | 100.0000 | \$0.25 | 0.0000 | 0 | \$25.00 |
| CAD | No | | 6061-T6 Bar .750 x f .125 | | 200.0000 | Stores | | \$25.00 | 0.0000 | 0 | |
| | | | 113719 | | | | | | | | |
| | 2 | | M303B1.000X1.000 f | | 1/20/2010 | 1/25/2010 | 25.0000 | \$21.50 | 0.0000 | 0 | \$537.50 |
| | No | | 303 BAR 1" X 1" f 113719 | | 20.0000 | Stores | | \$537.50 | 0.0000 | 0 | |
| | | | 113719 | | | | | | | | |
| | 5 | | M6061T6B0.375X00. f 750 | | 1/20/2010 | 1/25/2010 | 20.0000 | \$0.75 | 0.0000 | 0 | \$15.00 |
| | No | | 6061T6 BAR .375 x f .750 | | 20.0000 | Stores | | \$15.00 | 0.0000 | 0 | |
| | | | 113719 | | | | | | | | |
| Total Received Quantity: | | | | | | | | | | 145.0000 | |
| Total Qty to Inspect (PO U/M): | | | | | | | | | | 0.0000 | |
| Total Reject Quantity: | | | | | | | | | | 0.0000 | |
| Total Receipt Value: | | | | | | | | | | \$577.50 | |
| Total Balance Due Quantity: | | | | | | | | | | 0.0000 | |



Magna Stainless

5775 Kieran St, Saint-Laurent, Quebec H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105



PACKING LIST

Page 1 of 1

I022023

SOLD TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

SHIP TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY, ON
K6A 1K7
Contact: CHANTAL

HAWKESBURY, ON
K6A 1K7
Ship Terms: PREPAID



MTR:Y

SPECIAL INSTRUCTIONS

| Currency | | Sales Person | Customer Phone | Customer Fax | Customer PO | |
|------------------|-------------|--------------|----------------|----------------|---------------|--------------|
| CANADIAN DOLLARS | | ERYCK BLAIS | (613) 632-5200 | (613) 632-1053 | P011123 | |
| Sales Order | Terms | | Ship Via | Date Ordered | Date Required | Date Shipped |
| W024074 | NET 30 DAYS | | NIR:R-557065-1 | 01/18/10 | 01/21/10 | 01/21/10 |

| Ordered | Back Ordered | Unit | Description | Bundle # | Heat # | Shipped |
|------------|--------------|------|----------------------------------------------------------------------------------------------|----------------|--------|---------|
| 2 | | PC | STAINLESS SQUARES SSQ 303 CD 1" x R/L 12'5" 85 LB / 2 PC <i>Pickup 1/20</i> | L035470 | 236869 | 2 |
| Bundles: 1 | | | | Approx Weight: | | 85 LB |

Received by: _____ Date: _____ Signature: _____



Magna Stainless

5775 Kieran St, Saint-Laurent, Quebec H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105



PACKING LIST

Page 1 of 1

I021967

SOLD TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

SHIP TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY, ON
K6A 1K7
Contact: LINDA

HAWKESBURY, ON
K6A 1K7
Ship Terms: PREPAID

MTR: Y

SPECIAL INSTRUCTIONS

| Currency | Sales Person | Customer Phone | Customer Fax | Customer PO | |
|------------------|--------------|----------------|----------------|---------------|--------------|
| CANADIAN DOLLARS | ERYCK BLAIS | (613) 632-5200 | (613) 632-1058 | P011123 | |
| Sales Order | Terms | Ship Via | Date Ordered | Date Required | Date Shipped |
| W024130 | NET 30 DAYS | NIR:R-557065-1 | 01/19/10 | 01/20/10 | 01/20/10 |

| Ordered | Back Ordered | Unit | Description | Bundle # | Heat # | Shipped |
|------------|--------------|------|---------------------------------------------------------------------------------------|----------------|--------|---------|
| 2 | | PC | ALUMINUM ANGLES AAN 6063 T5 3/4" x 3/4" x 1/16" x R/L 21' 4 LB / 2 PC C OF C | L020061 | NA | 2 |
| 5 | | PC | ALUMINUM FLATS AFL 6061 T6 1/8" x 3/4" x R/L 20' 11 LB / 5 PC | L026372 | 07C043 | 5 |
| 1 | | PC | AFL 6061 T6 3/8" x 3/4" x R/L 20' 7 LB / 1 PC | L029383 | 7133 | 1 |
| Bundles: 1 | | | | Approx Weight: | | 22 LB |

Received by: _____ Date: _____ Signature: _____



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO11123

Purchase Order Date 1/14/10

PO Print Date 1/18/10

Page Number 1 of 3

Order From :

VC-MAG002

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

FAKED

Contact Name
Vendor Phone 800 363 6646
Vendor Fax 514 339 1105
Vendor Account Nbr

Buyer Chantal Lavoie
Requisition Nbr
Tax Resale Nbr 10127-2607
Terms Net 30
Currency CAD
FOB

Ship To : DART AEROSPACE LTD 1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

| Line Nbr | Reference Revision ID Vendor Part Number | Description/ Mfg ID | Req Date/ Taxable | Req. Qty/ Unit of Measure | Ship Method | Unit Price | Extended Price |
|----------|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------|-------------|------------|-------------------|
| 1 | M6061T6B00750X00.125 | 6061-T6 Bar .750 x .125 | 1/20/10 Yes | 100.00 | Yours ppd | \$0.2500 | \$25.00 |
| | | Special Inst: MAT: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR SPEC: QQ-A-225/8 OR AMS-QQ-A-225/8 OR(AMS 4117/4128/4115/4116) OR QQ-A-200/8 OR(AMS 4160) OR ASTM B211 OR ASTM B221 | | | | | |
| 2 | M303B1.000X1.000 | 303 BAR 1" X 1" | 1/20/10 Yes | 20.00 | Yours ppd | \$21.5000 | \$430.00 |
| | | Special Inst: purch mat: AISI 303 STAINLESS STEEL BAR(NOTE: AISI 304-316 NOT ACCEPTABLE) | | | | | |
| 3 | M6061T6A.750W0.625 | angle .750 x .750 x .625w | 1/20/10 Yes | 40.00 | Yours ppd | \$2.7500 | \$110.00 |
| | | Special Inst: PURCH MAT: 6061-T6/T6510/T6511 ALUMINUM ANGLE PER AMS-QQ-A-2008 | | | | | |

1/18/10

- Last Item
Revised.
Thank you.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO11123

Purchase Order Date 1/14/10

PO Print Date 1/18/10

Page Number 2 of 3

Order From :

VC-MAG002

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

Contact Name

Vendor Phone 800 363 6646

Vendor Fax 514 339 1105

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr 10127-2607

Terms

Net 30

Currency

CAD

FOB

| QTY | ITEM | DESCRIPTION | UNIT | PRICE | AMOUNT | TOTAL |
|-----|---------------------|-------------------------|---------|-------|-----------|-----------|
| 4 | M7075T6B1.000X1.000 | 7075 T6 BAR 1.00 x 1.00 | 1/20/10 | 12.00 | Yours ppd | \$16.2500 |
| | | Yes | | f | | \$195.00 |

Special Inst: MAT PURCH: 7075-
T6(ORT651/T6510/T6511/T62)
ALUMINUM BAR PER AMS-QQ-A-
225/9(OR AMS
4122/4123/4186/4187)OR PER AMS-
QQ-A-200/11

| | | | | | | |
|---|----------------------|------------------------|---------|-------|-----------|----------|
| 5 | M6061T6B0.375X00.750 | 6061T6 BAR .375 x .750 | 1/20/10 | 20.00 | Yours ppd | \$0.7500 |
| | | Yes | | f | | \$15.00 |

Special Inst: MAT PURCH: 6061-
6T/T651/T6510/T6511/T12
ALUMINUM BAR
SPEC: QQ-A-225/8 OR AMS-QQ-A-
225/8(OR
AMS4117/4128/4115/4116)OR QQ-A-
200/8OR AMS-QQ-A-200/8(OR
AMS4160) OR ASTM B211 OR
ASTM B221

| | | | | | | |
|---|--------------|--------------------|---------|-------|-----------|----------|
| 6 | M2024T3S.063 | 2024-T3 .063 sheet | 1/20/10 | 64.00 | Yours ppd | \$9.2187 |
| | | Yes | | sf | | \$590.00 |

Special Inst: PURCH MAT: 2024-T3 ALUMINUM
SHEET
SPEC: QQ-A-250/4 OR AMS-QQ-A-
250/4 OR AMS4037 OR ASTM B209

| | | | | | | |
|---|----------------------|-------------------------|---------|-------|-----------|-----------|
| 8 | M6061T6B1.500X04.000 | 6061T6 Bar 1.500 x 4.00 | 1/20/10 | 20.00 | Yours ppd | \$26.0000 |
| | | Yes | | f | | \$520.00 |

Special Inst: MAT: 6061-
T6/T651/T6510/T6511/T62

1/18/10

Acciaierie Valbruna S.p.A.



ATTESTATO DI CONTROLLO - WERKSZEUGNIS
TEST REPORT - RELEVÉ DE CONTROLE
EN 10204, 2.2

36100 VICENZA (Italia) - Viale della scienza, 25 z.1.

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Kunden/Client
VALBRUNA CANADA LTD
8724 HOLGATE CRESCENT
CDN - MILTON, ONT L5T 5Z1 - CAN
Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/Manufacture/produceur

Avviso di Spedizione: D-VI03034230
Lieferanweisung/Livraison avis B.L.

Certificato nr: MEST063900/2003/
Prüfung/Test/Besg.

Conferma ordine nr: E103002808
Works-Order/Ordre/Reçu

Marchio di Fabbrica:
Zeichen des Werks/Markenzeichen
Trade mark
Signe de l'usine/produit



Oggetto Prove: Annealed Cold Drawn
Prüfungsbearbeitung/Inspection/Échantillon

Tipo di Elaborazione: E+AOD
Erzeugnisbearbeitung/procédé d'élaboration

Punzone del Collaudatore:
Stempel des Werkstoffprüfingenieur
Inspection stamp/Plombage de l'Acceuseur

Specifiche:

Anforderungen / Requirements - Exigences

VAL CANADA 2 303 A.C.F. ()
ASTM A314 97 S30300 ()
ASTM A582 95B S30300 ()
QQ-S-764 B/2 303 ()
Q4 SEC II PTA 2001 EDITION

AMS 5640 R TYPE1 ()
ASTM A320 2001 B8F ()
DOD-F-24669 6 S30300 ()
()

ASME (1) SA320 2001 B8F ()
ASTM A484 2000 . ()
MIL-S-862 B/1 303 ()
()

Qualità: 303 VALPLUS
Werkstoff/Qualität/Qualité

Marca: VPAU188Z

Markenbezeichnung/Trade-Mark

Punzonatura:

Markenzeichnung/Marking/Markings

| Pos. nr. Pos. nr. In der Liste | Oggetto Gegenstand Procédé description Contenu du produit | Dimensioni - It Abmessungen Dimensions | Tolleranza Toleranz Allowance Tolérance | Lunghezza - Ft Länge Length Longueur | Codice Signature Test Code | Pezzi Stückzahl Pieces Pièces | Peso - LB Gewicht Weight Poids | Lotto nr. Losn Lotn Lotn |
|--------------------------------------|--------------------------------------------------------------------|----------------------------------------------|--------------------------------------------------|-----------------------------------------------|-------------------------------------|----------------------------------------|-----------------------------------------|-----------------------------------|
| 0060 | Square | 1,0000 1,0000 | A48494A | 12 / 14 | 238869 | | 3.323 | 318400320 |

Sono state soddisfatte tutte le condizioni richieste
Die geordneten Anforderungen sind erfüllt
The material has been furnished in accordance with the requirements
Les matières satisfont toutes les conditions des exigences

| TEST | Procedura Procédé Test Méthode | Pos. Pos. Sagen Sagen | Sneamento Sneamento Rp 0,2% k.s.i. | Sneamento Sneamento Rp 0,2% k.s.i. | Resistenza Resistenza Rm k.s.i. | Allungamento Allungamento E 2" % | Strizione Strizione RA % | Resistenza Resistenza Rp k.s.i. | Durezza Durezza HB |
|------|-----------------------------------------|--------------------------------|---------------------------------------------|---------------------------------------------|------------------------------------------|-------------------------------------------|-----------------------------------|------------------------------------------|--------------------------|
| | | min | 30 | | 75 | 35 | 50 | | 140 |
| | | max | | | | | | | 223 |
| A | 12.50 | 68 L | 64 | | 100 | 39 | 52 | | 222 |

Prüfungsbearbeitung: Gusszustand: 1 = Fertigungszustand

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

| Codice Signature Code | C % | Si % | Mn % | Cr % | Mo % | Cu % | Ni % | Co % | P % | S % | | | | | |
|-----------------------------|-------|------|------|-------|------|------|------|-------|------|------|--|--|--|--|--|
| 238869 | 0,037 | 0,38 | 1,75 | 17,09 | 0,57 | 0,55 | 8,20 | 0,080 | 0,03 | 0,30 | | | | | |

Made in Italy. No welding or weld repair.

Material free from Mercury or radio-activity contamination.

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1960°F for 1 H/H2O.

Micro and macro etch test: OK

The Quality Management System is Certified acc. PrENISO 9001:2000 Annex 1, 5, 6 by TÜV and LLOYD'S

Vicenza, 26/11/03
Mod. 101.005

Il collaudatore di stabilimento / der Werkstoffprüfingenieur / Works inspector / L'agent d'usine

M. Rizzotto

Pagina - 1 di 1

OK
CP 10.01.25

P008666-238869

P004846

Aluminium Mill Certificate

Cert. No.: KAP617163

Customer:

Contract No.: CA-SM74134

Alloy Temper: 6061-T6511

Container No: ZCSU9005739/45HQ



Taishan City Kam Kiu Aluminium Extrusion Co. Ltd.
Address: Daijiang County, Taishan, Guangdong, China
Tel: (86) 7505438596 Fax: (86) 7505438173

Standards: ASTM-B221 & AMS-QQ-A-200/8

Shipment Date: Nov 28 2007

PO No: P00835

Invoice No: M76412

| | | | Shipment Date: Nov 28 2007 | | | | | | | | | | | PO No: P00835 | | Invoice No: M76412 | | | | | |
|--------------|----------|-----------------------|-------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|----|---------------|------|--------------------|-------------------|-------|-------------------|-------------|---|
| Product Code | Die No | Specification | 6061 Chemical Composition (%) | | | | | | | | | | | | | Tensile | | Yield | | Elongation: | |
| | | | Heat No. | Si | Mg | Fe | Cu | Mn | Zn | Cr | Ti | Pb | Bi | Zr | Al | ksi | N/mm ² | ksi | N/mm ² | | % |
| | | | | 0.40-0.80 | 0.80-1.20 | 0.70 max. | 0.15-0.40 | 0.15 max. | 0.25 max. | 0.04-0.35 | 0.15 max. | -- | -- | -- | Rem. | | | | | | |
| | | | | | | | | | | | | | | | | 265 | 38 | 245 | 36 | 6 | |
| | 6075 | ANGLE .75X.75X.125 R | 07G273 | 0.725 | 0.952 | 0.202 | 0.246 | 0.049 | 0.016 | 0.113 | 0.013 | 0.001 | | | | | | | | | |
| | 6009-318 | ANGLE 1 X 1 X 1/8 RF | 07C043 | 0.746 | 0.958 | 0.201 | 0.278 | 0.041 | 0.200 | 0.123 | 0.012 | 0.001 | | | Rem. | 296 | 43.0 | 267 | 39.0 | 12.8 | |
| | 6009-318 | ANGLE 1 X 1 X 1/8 RF | 07C043 | 0.746 | 0.958 | 0.201 | 0.278 | 0.041 | 0.200 | 0.123 | 0.012 | 0.001 | | | Rem. | 306 | 44.0 | 289 | 42.0 | 15.0 | |
| | 6076 | ANGLE 1.25X1.25X.125R | 07C077 | 0.708 | 0.965 | 0.201 | 0.261 | 0.047 | 0.049 | 0.120 | 0.012 | 0.001 | | | Rem. | 306 | 44.0 | 289 | 42.0 | 15.0 | |
| | 6043 | ANGLE 2X2X1/8 | 07C043 | 0.746 | 0.958 | 0.201 | 0.278 | 0.041 | 0.200 | 0.123 | 0.012 | 0.001 | | | Rem. | 303 | 44.0 | 290 | 42.0 | 11.0 | |
| | 6043 | ANGLE 2X2X1/8 | 07C043 | 0.746 | 0.958 | 0.201 | 0.278 | 0.041 | 0.200 | 0.123 | 0.012 | 0.001 | | | Rem. | 285 | 41.0 | 267 | 39.0 | 11.6 | |
| | 6012-476 | ANGLE 1.5X1.5X3/16 | 07D677 | 0.734 | 0.962 | 0.204 | 0.234 | 0.042 | 0.025 | 0.127 | 0.013 | 0.002 | | | Rem. | 303 | 44.0 | 273 | 40.0 | 16.4 | |
| | 6041 | ANGLE 2X2X3/16 RF | 07G273 | 0.725 | 0.952 | 0.202 | 0.246 | 0.049 | 0.016 | 0.113 | 0.013 | 0.001 | | | Rem. | 330 | 48.0 | 295 | 43.0 | 17.2 | |
| | 90107 | CHANNEL 3X1.5X3/16RF | 07D677 | 0.734 | 0.962 | 0.204 | 0.234 | 0.042 | 0.025 | 0.127 | 0.013 | 0.002 | | | Rem. | 306 | 44.0 | 283 | 41.0 | 14.4 | |
| | 01099 | FLAT BAR 3/16X2.00 | 07C077 | 0.708 | 0.965 | 0.201 | 0.261 | 0.047 | 0.049 | 0.120 | 0.012 | 0.003 | | | Rem. | 289 | 42.0 | 263 | 38.0 | 14.4 | |
| | 01606 | FLAT BAR.188X3.000 | 07C043 | 0.746 | 0.958 | 0.201 | 0.278 | 0.041 | 0.200 | 0.123 | 0.012 | 0.001 | | | Rem. | 305 | 44.0 | 295 | 43.0 | 11.0 | |
| | 44416 | REC TUBE RC3X2X.125" | 07D677 | 0.734 | 0.962 | 0.204 | 0.234 | 0.042 | 0.025 | 0.127 | 0.013 | 0.002 | | | Rem. | 337 | 49.0 | 319 | 46.0 | 12.0 | |
| | 44415 | REC TUBE RC 3X2X.25" | 07D677 | 0.734 | 0.962 | 0.204 | 0.234 | 0.042 | 0.025 | 0.127 | 0.013 | 0.002 | | | Rem. | 313 | 45.0 | 289 | 42.0 | 13.2 | |
| | 44417 | REC TUBE RC 4X2X.12" | 07D677 | 0.734 | 0.962 | 0.204 | 0.234 | 0.042 | 0.025 | 0.127 | 0.013 | 0.002 | | | Rem. | 324 | 47.0 | 307 | 45.0 | 15.2 | |
| | 4057 | SQ TUBE RC2X2X.12" | 07D677 | 0.734 | 0.962 | 0.204 | 0.234 | 0.042 | 0.025 | 0.127 | 0.013 | 0.002 | | | Rem. | 289 | 42.0 | 275 | 40.0 | 11.0 | |
| | 01037 | FLAT BAR .125X.750 | 07C043 | 0.746 | 0.958 | 0.201 | 0.278 | 0.041 | 0.200 | 0.123 | 0.012 | 0.001 | | | Rem. | 301 | 44.0 | 283 | 41.0 | 13.4 | |
| | 0089 | FLAT BAR.125X1.00 | 07G273 | 0.725 | 0.952 | 0.202 | 0.246 | 0.049 | 0.016 | 0.113 | 0.013 | 0.001 | | | Rem. | 309 | 45.0 | 293 | 42.0 | 14.8 | |
| | 4055 | SQ TUBE 1X1X.12 | 07G273 | 0.725 | 0.952 | 0.202 | 0.246 | 0.049 | 0.016 | 0.113 | 0.013 | 0.001 | | | Rem. | 318 | 46.0 | 285 | 41.0 | 11.8 | |
| | | | | | | | | | | | | | | | Rem. | 301 | 44.0 | 270 | 39.0 | 13.0 | |

8/10/125

Level 14, Uptown 1, No. 1 Jalan SS21/58, Damansara Uptown, 47400 Petaling Jaya, Selangor Darul Ehsan, Malaysia.
c/o

Room 17, 18/F, North Tower, Concordia Plaza, 1 Science Museum Road, Kowloon, Hong Kong
Tel No: (852)23020808, Fax No: (852)23020062
E-mail: info@kamkiu.com Web Page: www.kamkiu.com

Aluminium Mill Certificate

Cert. No.: KAP617163

Customer:

Contract No.: CA-SM74134

Alloy Temper: 6061-T6511

Container No: ZCSU9005739/45HQ

Standards: ASTM-B221 & AMS-QQ-A-200/8

Shipment Date: Nov 28 2007

PO No: P00835

Invoice No: M76412


| Product Code | Die No | Specification | 6061 Chemical Composition (%) | | | | | | | | | | | Tensile | | | Yield | | |
|--------------|--------|---------------|-------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----|----|---------|------|-------------------|----------|-------------------|------------|
| | | | Heat No. | Si | Mg | Fe | Cu | Mn | Zn | Cr | Ti | Pb | Bi | Zr | Al | Strength | Strength | Elongation | Elongation |
| | | | | 0.40-0.80 | 0.80-1.20 | 0.70 max. | 0.15-0.40 | 0.15 max. | 0.25 max. | 0.04-0.35 | 0.15 max. | -- | -- | -- | Rem. | N/mm ² | ksi | N/mm ² | ksi |
| | | | | | | | | | | | | | | | | 265 | 38 | 245 | 36 |
| | | | | | | | | | | | | | | | | | | | 8 |

Kam Kiu Aluminium Group hereby certifies that metal shipped under the above mentioned PO No, Contract No, and Container No has been inspected and tested, and found in conformance with the applicable specifications forming a part of the description set forth in Kam Kiu's Sales Contract. This Mill Test Certificate complies to 3.1 EN 10204.

Prepared By:

Waley

Checked By:



Page 2 of 6

Level 14, Uptown 1, No. 1 Jalan SS21/58, Damansara Uptown, 47400 Petaling Jaya, Selangor Darul Ehsan, Malaysia.
c/o

Room 17, 18/F, North Tower, Concordia Plaza, 1 Science Museum Road, Kowloon, Hong Kong
Tel No. (852)23020808, Fax No: (852)23020062
E-mail: info@kamkiu.com Web Page: www.kamkiu.com

Material Test Report

Customer Ship To:

Magna Stainless Inc.
5775 Kieran St.

St-Laurent

QB H4S 0A3

Our Order: 362620 - 1

Your PO # PO05467

Part # 05577-000-240

Die: ES05577

Description: 575 x .750

Alloy Temper 6061 T6

Print Date: 7/10/2009

Chemical Properties

| Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | others each | others total | Al |
|----------|---------|----------|----------|---------|-----------|----------|------|-------------|--------------|--------|
| 0.40-0.8 | 0.7 max | 0.15-.40 | 0.15 max | 0.8-1.2 | 0.04-0.35 | 0.25 max | 0.15 | 0.05 | 0.15 | remain |

Mechanical Properties

Strength ksi

| Test ID | Test Date | CastNum | Ultimate | Yield (2% Offset) | Elongation (2" gage length) |
|---------|-----------|---------|----------|-------------------|--------------------------------|
| 117271 | 7/10/09 | 7133 | 42.17 | 37.11 | 21.1 |

Applicable Specifications: ASTM B221-08 ASTM B308-02 ASTM B429 QQA200/8 QQA200/16

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.

Doug Barnes - Tensile Testing

Authorized


Evan Eng, Quality Assurance Mgr.

PO05467
7133

Receiving Report

Date: 10/12/13

Batch No: m116404

Supplier: ThyssenKrupp

Dart P/O: 13093

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☐

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐ N/A ☐
 Shipment Complete: 8 Yes ☒ No ☐ N/A ☐
 QC6 Inspection 8 N/A ☐
 Work Order 10124 N/A ☐

Discrepancies

| Part Number | Description | Quantity Ordered | Quantity Received | Quantity Returned | Quantity Short | Comments |
|-------------|-------------|------------------|-------------------|-------------------|----------------|----------|
| | | | | | | |
| | | | | | | |
| | | | | | | |

Initials of receiver (if shipment OK) Level 12 CZ

Production/Admin:

Date 10/12/14

Received/Costing CZ

Initial CZ

Location _____

Purchase Order Receipt Listing

December 14, 2010 10:19:30 AM

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors PO ID po13093 All Receipt Dates All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

| Purchase Order ID/ Curr Type | Line Nbr/ Insp Req | Project ID | Reference/ Description/ Cert Std | PO U/M/ Stock U/M | Required Date Required Qty | Recv Date/ Recv Emp | Recv Qty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MRB Qty/ MRB Reject Qty | Book Amt |
|--------------------------------------------------------------|--------------------------|------------|-----------------------------------------|----------------------|-------------------------------|------------------------|----------------------|------------------------------|--------------------------------------------|----------------------------|----------|
| VendorID/Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd | | | | | | | | | | | |
| PO13093 | 1 | | M6061T6B00750X00 f .125 | | 12/13/10 | 12/14/10 | 80.0000 | \$0.25 | 0.0000 | 0 | \$19.80 |
| CAD | No | | 6061-T6 Bar .750 x f .125 116406 | | 80.0000 | LAVO01 | | \$19.80 | 0.0000 | 0 | |
| | 2 | | M6061T6B1.000X12. f 000 | | 12/13/10 | 12/14/10 | 12.0000 | \$31.17 | 0.0000 | 0 | \$374.00 |
| | No | | 6061-T6 Bar 1.00 x f 12.00 116406 | | 12.0000 | LAVO01 | | \$374.00 | 0.0000 | 0 | |
| | 3 | | M6061T6B1.500X01. f 500 | | 12/13/10 | 12/14/10 | 12.0000 | \$5.87 | 0.0000 | 0 | \$70.40 |
| | No | | 6061-T6 Bar 1.50 x f 1.50 116406 | | 12.0000 | LAVO01 | | \$70.40 | 0.0000 | 0 | |
| | 4 | | M6061T6R0.750 f | | 12/13/10 | 12/14/10 | 48.0000 | \$1.19 | 0.0000 | 0 | \$57.20 |
| | No | | 6061-T6 Round Bar f .750" 116406 | | 48.0000 | LAVO01 | | \$57.20 | 0.0000 | 0 | |
| | 5 | | M6061T6R1.000 f | | 12/13/10 | 12/14/10 | 24.0000 | \$2.11 | 0.0000 | 0 | \$50.60 |
| | No | | ROUND BAR 1.00" f 116406 | | 24.0000 | LAVO01 | | \$50.60 | 0.0000 | 0 | |

Total Received Quantity: 176.0000
Total Qty to Inspect (PO U/M): 0.0000
Total Reject Quantity: 0.0000
Total Receipt Value: \$572.00
Total Balance Due Quantity: 0.0000

B I L L O F L A D I N G

No: PEC 687483

Ship From:
 THYSSENKRUPP MATERIALS NA
 2821 LANGSTAFF ROAD
 CONCORD, ONTARIO L4K 5C6
 Tel: 905 669 9444 Fax: 9057389033

Ship Date 10Dec10 at 8:32 From PFW
 Probill T151012
 Via APEXMOTOR-PEC
 FOB CONCORD
 Frt PREPAID
 Route 0- 0 Manifest
 Vhcle Trailer
 Slp TRINA VINCE (905-532-1365)
 Sold To: (20115)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7

Ship To: (1)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7
 Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC-282304- 1 Your PO # 13093
 Part # Rel # CHANTAL

ALUMINUM FLAT BAR 6061-T6511
 .125" x .750" X 240.0000"
 **BAR NEEDS TO BE FLAT EDGE

CL10112/13

MTR

| Heat Number | Tag No | Quantity | PCS | Wt LBS |
|-------------|--------|----------|-----|--------|
| 10081183a | 145078 | 80 FT | 4 | 9 |

2) Our Order PEC-282304- 2 Your PO # 13093
 Part # Rel # CHANTAL

ALUMINUM FLT BAR ECONOPLT 6061-T6511
 1.00" X 12.00" X 144.5000"

CL10112/13

MTR

| Heat Number | Tag No | Quantity | PCS | Wt LBS |
|-------------|--------|-----------|-----|--------|
| 201012176 | 145079 | 12 .5000" | 1 | 170 |

3) Our Order PEC-282304- 3 Your PO # 13093
 Part # Rel # CHANTAL

ALUMINUM SQUARE BAR 6061-T6511
 1.50" X 144.0000"

CL10112/13

MTR

| Heat Number | Tag No | Quantity | PCS | Wt LBS |
|-------------|--------|----------|-----|--------|
| 20612202 | 145080 | 12 FT | 1 | 32 |

4) Our Order PEC-282304- 4 Your PO # 13093
 Part # Rel # CHANTAL

ALUMINUM ROUND BAR 6061-T6511
 .750" DIA X 144.0000"

CL10112/13

MTR

| Heat Number | Tag No | Quantity | PCS | Wt LBS |
|-------------|--------|----------|-----|--------|
| 11530 | 145081 | 48 FT | 4 | 26 |

Page: 1Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
 RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
 MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

B I L L O F L A D I N G

No: PEC 687483
Ship Date 10Dec10 at 8:32 From PFW

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

Probill T151012
Via APEXMOTOR-PEC
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp TRINA VINCE (905-532-1365)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

B I L L O F L A D I N G

5) Our Order PEC-282304- 5 Your PO # 13093
Part # Rel # CHANTAL
ALUMINUM ROUND BAR 6061-T6511
1.00" DIA X 144.0000" *CD1011213*

MTR

| Heat Number | Tag No | Quantity | PCS | Wt LBS |
|-------------|--------|----------|-----|--------|
| 201012067 | 145082 | 24 FT | 2 | 23 |

| TOTAL: | Tags | PCS | LBS |
|--------|------|-----|-----|
| | 5 | 12 | 260 |

Heat Number *** Chemical Analysis ***
10081183a
11530
201012067
201012176

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTAL 2 BDLs G.W. 291 LBS

ITEM (1) BDL
ITEMS (2,3,4,5) BDL

***** CLOSED FOR THE HOLIDAYS *****
FROM DEC. 25TH TO 28TH, ON DEC. 31ST & JAN. 3RD.
WE ARE OPENED FOR BUSINESS ON DEC. 29TH & 30TH.
HAVE A HAPPY HOLIDAY SEASON!
*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA

Page: 2Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

B I L L O F L A D I N G

No: PEC 687483
Ship Date 10Dec10 at 8:32 From PFW

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

Probill T151012
Via APEXMOTOR-PEC
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp TRINA VINCE (905-532-1365)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

B I L L O F L A D I N G

CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***
**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *
* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$15.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER AS OF DEC 8/08.***

Page: 3 Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

TVQ/GST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

DATE

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM PLAT BAR 6061-T6511
125" x .750" x 240.0000"
PART NO

PO/Ref 13093

/CHANTAL

Certificate of Mill Test Results

BL PEC-687483-001 10Dec10
Pg 1/1

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Signed by:

CAN ART
ALUMINUM EXTRUSION INC.

Material Test Report

Customer Ship To:

ThyssenKrupp Materials NA
2821 Langstaff Road

Concord

ON L4K 5C6

Our Order: 372006- 3

Your PO # 224069

Part # 05485-000-240

Die: ES05485

Description: 125 x .750

Alloy Temper 6061 T6511

Print Date: 9/10/2010

8
10/12/14

Chemical Composition

| Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | others each | others total | Al |
|----------|---------|----------|----------|---------|-----------|----------|------|----------------|-----------------|--------|
| 0.40-0.8 | 0.7 max | 0.15-.40 | 0.15 max | 0.8-1.2 | 0.04-0.35 | 0.25 max | 0.15 | 0.05 | 0.15 | remain |

Mechanical Properties

Strength ksi


| Test ID | Test Date | CastNum | Ultimate | Yield (2% Offset) | Elongation (2" gage length) | Skid # |
|---------|-----------|-----------|----------|----------------------|--------------------------------|-----------------|
| 121964 | 9/2/10 | 10081183a | 39.14 | 36.03 | 8.0 | 5149416 5149959 |

Applicable Specifications: ASTM B221-06 ASTM B308 ASTM B429 QQA200/8 QQA200/16

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.

Evan Eng - Tensile Testing

Authorized


Evan Eng, Quality Assurance Mgr.

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM FLT BAR ECONOPLT 6061-T6511

1.00" X 12.00" X 144.5000"

PART NO.

PO/Rel 13093

/CHANTAL

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

Certificate of Mill Test Results

BL PEC-687483-002

10Dec10

Pg 1/1



SERVICE CENTER METALS

5850 Quality Way

Prince George, VA 23875

CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

BILL TO

ThyssenKrupp Materials NA

SHIP TO

ThyssenKrupp Materials NA PEC

Quantity Certified 1,362 lbs

8pcs

MANIFEST NUMBER

115566

CUSTOMER PO

PEC-224721

CUSTOMER PART NUMBER

PL0741 X 144.5

DIE NUMBER

PL0741

ALLOY/TEMPER

6061-T6511

DESCRIPTION

PL 1.000 x 12.000

DATE OF SHIPMENT

9/29/2010

SALESPERSON

David Schroeder

OUR ORDER NUMBER

115300

ITEM

2

CERTIFICATION

ASTM-B221-08 StencilContinuous

SPECIFICATION

AMS-QQA-200/8

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. SCM extrusions are manufactured in the USA from ingot melted and cast in the United States or Canada.

Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6

Mechanical Properties

Test No. Lot No.

1 201012176

Test Date

09/25/10

Ultimate Tensile Strength (KSI)

50.8

Yield Strength (KSI)

45.6

Percent Elongation

14.5

Chemical Composition for Alloy 6061

| Alloy | | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Other | Each | Total | Al |
|-------|-----|------|-----|------|------|-----|------|------|------|-------|------|-------|-----------|
| 6061 | Max | 0.8 | 0.7 | 0.40 | 0.15 | 1.2 | 0.35 | 0.25 | 0.15 | | 0.05 | 0.15 | Remainder |
| | Min | 0.40 | - | 0.15 | - | 0.8 | 0.04 | - | - | | | | |

Melted In

United States of America

Rev. 9/06/07 - 1/1/08

Print Date: 9/29/2010

Calvin J. Wiggins, Director of Quality & Technical Services

THYSSENKRUPP MATERIALS NA

DART AEROSPACE
ALUMINUM SQUARE BAR 6061-T6511
1.50" X 144.0000"
PART NO.

PO/Rel 13093 /CHANTAL

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-687483-003

10Dec10

Pg 1/3

Signed by:

Alt:

sapa:

Sapa Industrial Extrusions
53 POTTSVILLE STREET

CRESSONA, PA
17929-0187

Sapa Extrusions Inc., a Subsidiary of Sapa AB

Invoice To Customer

THYSSENKRUPP MATERIALS NA INC
2821 LANGSTAFF ROAD
ATTN: ACCOUNT PAYABLE

CONCORD, ON - L4K-5C6

Ship To Customer

THYSSENKRUPP MATERIALS NA INC
2821 LANGSTAFF ROAD

CONCORD, ON - L4K5C6

Certified Inspection Report

Sales Order Number

Line No.

Customer PO

1100253455

5

PEC-225278-5

Cert Number

SAPA305615

Cert Creation Date

02-NOV-10

Page

Page 1 of 3

Cert Print Date

02-NOV-10

Quantity Shipped

Date Shipped

Item Description
Extruded Square Bar
1.500 SQ

Specification

ASTMB221 REV 08
AMS-QQ-A-2008 REV
ASTMB221 REV 09
UNSHA96061 REV

1010

LB

02-NOV-10

B/L

Item No.

144.000 IN LN
FIN M-MILL
W/P 2.646 F 02 CS 2.1
6061/T6511
Marking CONTINUOUS;

176521

G03363678

Delivery Id

Item No. Rev

4153358

Customer Part No.

1.5SQ

Applicable Specifications, Revisions and Exceptions

COMPOSITION NOTE: The values for 'Others Each' and 'Others Total' have met the limits as shown on this certified inspection report. Remainder is Aluminum.

Legal Statement

We hereby certify that, unless otherwise indicated, the material covered by this report has been manufactured, inspected, and tested in accordance with, and has been found to meet, the applicable requirements described herein, including any specifications forming a part of the description and that samples representative of the material met the composition and had the mechanical properties shown on the face of this certification. Also, note that mercury is not a normal contaminant in aluminum alloys and neither it nor any of its compounds are used in the manufacture of our product. This certification is not to be reproduced in partial form without prior written approval of our Quality Assurance Dept.

Signature And Title

Dave A Lukaszak

Tech/Quality Manager

02-NOV-10

Quantities per Lot / Packages

| Package Number | Lot Number | Quantity | UOM | Weight | |
|----------------|------------|----------|-----|--------|-----|
| | | | | Gross | Net |
| G12-PKG1331134 | 20609723 | 16 | PCS | 511 | 506 |
| G12-PKG1337330 | 20612202 | 16 | PCS | 510 | 508 |
| G12-PKG1337330 | 20612202 | | | | |

Composition Limits

| Alloy | Si | | Fe | | Cu | | Mn | | Mg | | Zn | |
|-------|------|------|-----|------|------|------|-----|------|------|------|------|------|
| | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 6061 | 0.40 | 0.60 | — | 0.70 | 0.15 | 0.40 | — | 0.15 | 0.80 | 1.20 | 0.04 | 0.35 |
| | | | | | | | | | | | | 0.25 |

THYSSENKRUPP MATERIALS NA

DART AEROSPACE
ALUMINUM SQUARE BAR 6061-T6511
1.50" X 1.44.0000
PART NO.

PO/Ref 13093 /CHANTAL

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-687483-003 10Dec10
Pg 2/3

Signed by _____
Attn: _____

sapa:

Sapa Industrial Extrusions
53 POTTSVILLE STREET
CRESSONA, PA
17929-0187

Certified Inspection Report

Sales Order Number

1100253455

Line No.

5

Customer P/O

PEC-225278-5

Cert Number

SAPA306615

Page

Page 2 of 3

Cert Creation Date

02-NOV-10

Cert Print Date

02-NOV-10

| Alloy | Ti | | Bt | | Pb | | Others Each | | Others Total | |
|-------|-----|------|-----|-----|-----|-----|-------------|------|--------------|------|
| | Min | Max | Min | Max | Min | Max | Min | Max | Min | Max |
| 6061 | --- | 0.15 | --- | --- | --- | --- | --- | 0.05 | --- | 0.15 |

Composition Results

| Heat / Cast | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Bt | Pb | Others Each | Others Total |
|-------------|------|------|------|------|------|------|------|------|-----|-----|-------------|--------------|
| 4023948 | 0.65 | 0.23 | 0.22 | 0.03 | 0.88 | 0.05 | 0.03 | 0.02 | --- | --- | --- | --- |
| Heat / Cast | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Bt | Pb | Others Each | Others Total |
| 5024692 | 0.64 | 0.27 | 0.21 | 0.03 | 0.89 | 0.05 | 0.03 | 0.02 | --- | --- | --- | --- |

Mechanical Property - Test Limits

| Test Temper | Lot Number | # of Tests | UTS - L | | TYS - L | | EL 40-Long | |
|-------------|------------|------------|-----------|-----------|-----------|-----------|------------|-----------|
| | | | MIN Value | MAX Value | MIN Value | MAX Value | MIN Value | MAX Value |
| T6511 | 20609723 | 3 | 46.0 | 46.3 | 42.2 | 43.1 | 16.5 | 17.1 |
| Test Temper | Lot Number | # of Tests | UTS - L | | TYS - L | | EL 40-Long | |
| | | | MIN Value | MAX Value | MIN Value | MAX Value | MIN Value | MAX Value |
| T6511 | 20612202 | 6 | 42.6 | 45.1 | 38.8 | 41.2 | 17.1 | 18.0 |

Cert Notes

Products manufactured with a T6511 temper also meet T6 temper requirements.

Yield strength has been determined by the 0.2% offset method.

All Alloys Produced at Sapa Industrial Extrusions comply with 0.4% Maximum Lead per RoHS, with the exception of 6262 alloy.

In accordance with EN 10204, Test Report Type 2.2 and Certificate Type 3.1

THYSENKRUPP MATERIALS NA

DART AEROSPACE
 ALUMINUM SQUARE BAR 6061-T6511
 1.50" X 1.44.0000"
 PART NO.

PO/Rel 13093 /CHANTAL

We certify that this is a true copy of the report
 furnished by the producer of the metal, or data
 resulting from tests made in approved labs.

Signed by: _____
 Attn: _____

Certificate of Mill Test Results

BL PEC 637483-003 10Dec10
 Pg 3/3

Sapa:

Sapa Industrial Extrusions
 53 POTTSVILLE STREET

CRESSONA, PA
 17929-0187

Certified Inspection Report

Sales Order Number

1100253455

Line No.

5

Customer P/O

PEC-225278-5

Cert Number

SAPA306615

Page

Page 3 of 3

Cert Creation Date

02-NOV-10

Cert Print Date

02-NOV-10

Made in the USA or Other Qualified Countries as Defined by DFARS 225.872.1

Made in USA

THYSSENKRUPP MATERIALS NA

DART AEROSPACE
ALUMINUM ROUND BAR 6061-T6511
750" DIA X 144.0000"
PART NO.

PO/Ref 13093

/CHANTAL

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Signed by: _____

Certificate of Mill Test Results

BL PEC-687483-004

10Dec10

Pg 1/1



MILL TEST REPORT

TEL: (416)745-4444 FAX: (416)745-0925 1-800-668-7210
411 CHRISLEA ROAD, WOODBRIDGE, ONTARIO, CANADA L4L 8N4
<http://www.extrudex.com>

| | | | | | | | |
|--------------------------------------|------|-------------------------------|------|----------------------|--------------------------------|---------------------------------------|------------------------|
| BILL TO THYSSENKRUPP MATERIALS,NA | 1773 | Cart Code: 1 | 0.42 | DIE NUMBER S 4758 | DATE OF SHIPMENT 11/18/2010 | EXTRUDEX ORDER NO. 128322 -- 1 | MANIFEST NO. 237093 |
| SHIP TO THYSSENKRUPP MATERIALS,NA | 1773 | CUSTOMER PO PEC-225567 | | ALLOY 6061 | TEMPER T6511 | SALESMAN FRED PARKIN | |
| SP DESCRIPTION 750" DIA | | CUSTOMER PART NUMBER 4-750 | | PART DESCRIPTION | | CERTIFICATION MILL TEST B221 SPECS | |

Mechanical Properties

| Lot | Alloy | Test No. | Test Date | Ultimate Tensile Strength (KSI) | Yield Strength (KSI) | Percent Elongation | Hardness | Conductivity |
|------|-------|----------|-----------|---------------------------------|----------------------|--------------------|----------------|--------------|
| A.11 | 6061 | 10202 | Nov/11/10 | 46.6 | 41.8 | 15.40 | 90.1,90.8,90.5 | |

Chemical Composition

| Cast Number | Si | Fe | Cu | Mn | Mg | Cr | Ni | Zn | Ti | Ga | V | B | Zr | Bi | Pb | Sn | Sr | Co | Al | Other |
|-----------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| A.11 11530 6061 | 0.56 | 0.23 | 0.21 | 0.08 | 0.82 | 0.06 | 0.00 | 0.01 | 0.02 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

David Natale
Quality Control Manager

1 - CUSTOMER COPY

MILL TEST REPORT

THYSSENKRUPP MATERIALS NA

DART AEROSPACE
ALUMINUM ROUND BAR 6061-T6511
1.00" DIA X 144.0000"
PART NO.

PO/Rel 13093 /CHANTAL

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Signed by _____

Certificate of Mill Test Results

BL-PEC-687483-005

10Dec10

Pg 1/2



SERVICE CENTER METALS
5850 Quality Way
Prince George, VA 23875

CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

| OUR ORDER NUMBER | ITEM |
|------------------|------|
| 117111 | 3 |

BILL TO

ThyssenKrupp Materials NA

SHIP TO

ThyssenKrupp Materials NA PEC

Quantity Certified 2,260 lbs 204pcs

MANIFEST NUMBER

117656

CUSTOMER PO

PEC-225368

CUSTOMER PART NUMBER

RD0005

DIE NUMBER

RD0005

ALLOY / TEMPER

6061-T6511

DESCRIPTION

ROD 1.000 +/- .004

DATE OF SHIPMENT

10/22/2010

SALESPERSON

David Schroeder

CERTIFICATION

ASTM-B221-08 StencilContinuous

SPECIFICATION

AMS-QQA-200/8

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. SCM extrusions are manufactured in the USA from ingot melted and cast in the United States or Canada.

Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6

Mechanical Properties

| Test No. | Lot No. | Test Date | Ultimate Tensile Strength (KSI) | Yield Strength (KSI) | Percent Elongation |
|----------|-----------|-----------|---------------------------------|----------------------|--------------------|
| 91 | 201012067 | 09/26/10 | 54.0 | 50.4 | 19.5 |
| 92 | 201012067 | 09/26/10 | 56.5 | 53.0 | 18.0 |
| 93 | 201012067 | 09/26/10 | 54.0 | 50.4 | 19.5 |
| 94 | 201012067 | 09/26/10 | 53.2 | 49.8 | 19.5 |
| 95 | 201012067 | 09/26/10 | 54.4 | 50.4 | 17.5 |
| 96 | 201012067 | 09/26/10 | 52.8 | 49.0 | 16.5 |
| 97 | 201012067 | 09/26/10 | 54.2 | 50.5 | 19.5 |
| 98 | 201012067 | 09/26/10 | 54.4 | 50.9 | 18.5 |
| 99 | 201012067 | 09/26/10 | 56.3 | 52.6 | 16.5 |
| 100 | 201012067 | 09/26/10 | 52.6 | 48.7 | 15.5 |
| 101 | 201012067 | 09/26/10 | 52.4 | 48.6 | 18.5 |
| 102 | 201012067 | 09/26/10 | 53.7 | 49.9 | 18.5 |
| 103 | 201012067 | 09/26/10 | 52.5 | 48.7 | 16.5 |
| 104 | 201012067 | 09/26/10 | 52.8 | 48.8 | 17.5 |
| 105 | 201012067 | 09/26/10 | 54.0 | 50.3 | 19.5 |

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM ROUND BAR 6061-T6511

1.00" DIA X 144.0000"

PART NO.

PO/Ref 13093

/CHANTAL

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

Certificate of Mill Test Results

BL-PEC-687483-005

10Dec10

Pg 2/2



SERVICE CENTER METALS

5850 Quality Way

Prince George, VA 23875

CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

| OUR ORDER NUMBER | ITEM |
|------------------|------|
| 117111 | 3 |

BILL TO

ThyssenKrupp Materials NA

SHIP TO

ThyssenKrupp Materials NA PEC

MANIFEST NUMBER

117656

CUSTOMER PO

PEC-225368

CUSTOMER PART NUMBER

RD0005

DIE NUMBER

RD0005

ALLOY / TEMPER

6061-T6511

DESCRIPTION

ROD 1.000 +/- .004

DATE OF SHIPMENT

10/22/2010

SALESPERSON

David Schroeder

CERTIFICATION

ASTM-B221-08 StencilContinuous

SPECIFICATION

AMS-QQA-200/8

Quantity Certified 2,260 lbs 204pcs

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. SCM extrusions are manufactured in the USA from ingot melted and cast in the United States or Canada.

Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6

| | | | | | |
|-----|-----------|----------|------|------|------|
| 106 | 201012067 | 09/26/10 | 53.6 | 49.9 | 16.5 |
| 107 | 201012067 | 09/26/10 | 51.3 | 48.5 | 16.5 |
| 108 | 201012067 | 09/26/10 | 53.4 | 49.5 | 19.5 |
| 109 | 201012067 | 09/26/10 | 53.6 | 49.3 | 18.0 |
| 110 | 201012067 | 09/26/10 | 52.3 | 48.3 | 19.5 |
| 111 | 201012067 | 09/26/10 | 53.3 | 49.4 | 16.5 |
| 112 | 201012067 | 09/26/10 | 51.9 | 48.0 | 18.0 |

Chemical Composition for Alloy 6061

| Alloy | | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Other | Each | Total | Al |
|-------|-----|------|-----|------|------|-----|------|------|------|-------|------|-------|-----------|
| 6061 | Max | 0.8 | 0.7 | 0.40 | 0.15 | 1.2 | 0.35 | 0.25 | 0.15 | | 0.05 | 0.15 | Remainder |
| | Min | 0.40 | - | 0.15 | - | 0.8 | 0.04 | - | - | | | | |

Melted In

United States or Canada

Rev. 50107 - UMS

Print Date: 10/22/2010

Calvin J. Wiggins, Director of Quality & Technical Services



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO13093

Purchase Order Date 12/08/10

PO Print Date 12/08/10

Page Number 1 of 2

Order From :

VC-COP001

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Contact Name

Vendor Phone

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAKED
12/12/10

| Line Nbr | Reference Revision ID Vendor Part Number | Description/ Mfg ID | Req Date/ Taxable | Req Qty/ Unit of Measure | Ship Method | Unit Price | Extended Price |
|----------|------------------------------------------------|-------------------------|----------------------|-----------------------------|-------------|------------|-------------------|
| 1 | M6061T6B00750X00.125 C210112113 | 6061-T6 Bar .750 x .125 | 12/13/10 Yes | 80.00 f | Yours ppd | \$0.2475 | \$19.80 |

Special Inst: MATERIAL: 6061-
T6/T651/T6510/T6511/T62 ALUMINUM
BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8
OR AMS 4117/4128/4115/4116 OR QQ-A-
200/8 OR AMS-QQ-A-200/8 OR AMS 4160
OR ASTM B211 OR ASTM B221

| | | | | | | | |
|---|------------------------------------|--------------------------|-----------------|------------|-----------|-----------|----------|
| 2 | M6061T6B1.000X12.000 C210112113 | 6061-T6 Bar 1.00 x 12.00 | 12/13/10 Yes | 12.00 f | Yours ppd | \$31.1667 | \$374.00 |
|---|------------------------------------|--------------------------|-----------------|------------|-----------|-----------|----------|

Special Inst: AS ABOVE
NOTE: BAR NEED TO BE FLAT EDGE

| | | | | | | | |
|---|------------------------------------|-------------------------|-----------------|------------|-----------|----------|---------|
| 3 | M6061T6B1.500X01.500 C210112113 | 6061-T6 Bar 1.50 x 1.50 | 12/13/10 Yes | 12.00 f | Yours ppd | \$5.8667 | \$70.40 |
|---|------------------------------------|-------------------------|-----------------|------------|-----------|----------|---------|

Special Inst: AS ABOVE

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 12/08/10



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO13093

Purchase Order Date 12/08/10

PO Print Date 12/08/10

Page Number 2 of 2

Order From :

VC-COP001

THYSSENKRUPP MATERIALS CA LTD

O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"

TORONTO, ON M5W 5V8

CA

Contact Name

Vendor Phone

905 669 9444

Vendor Fax

905 738 9033

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

| | | | | | | | |
|---|---------------|-------------------------|----------|-------|-----------|----------|---------|
| 4 | M6061T6R0.750 | 6061-T6 Round Bar .750" | 12/13/10 | 48.00 | Yours ppd | \$1.1917 | \$57.20 |
| | CL 10/12/13 | | Yes | f | | | |

Special Inst:


MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM
ROUND BAR
AS PER: QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR
QQ-A-200/8 OR AMS-200/8 OR AMS 4160
OR ASTM B221 OR ASTM B221

| | | | | | | | |
|---|---------------|-----------------|----------|-------|-----------|----------|---------|
| 5 | M6061T6R1.000 | ROUND BAR 1.00" | 12/13/10 | 24.00 | Yours ppd | \$2.1083 | \$50.60 |
| | CL 10/12/13 | | Yes | f | | | |

Special Inst: AS ABOVE

PO Total:

\$572.00



W

CL

No substitution or deviation without consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 12/08/10

7075T73R1.000X2484

| | | | | |
|----------------------|-------------|---|-------------|----------|
| M6061T6B0.375X00.750 | 3.873942105 | 0 | 18.1471 | 12 |
| M6061T6B0.375X03.000 | 0.377878947 | 0 | 13.5 | 6 |
| M6061T6B0.500X01.000 | 0.001531579 | 0 | 21.591 | 10 |
| M6061T6B0.500X01.250 | 3.168373684 | 0 | 19.6 | 10 |
| M6061T6B0.500X05.000 | 28.41631579 | 0 | 41.7636 | 12 |
| M6061T6B0.500X06.000 | 24.45324211 | 0 | 43.2814 | 24 |
| M6061T6B0.500X10.000 | 24.21086316 | 0 | 40 | 24 |
| M6061T6B0.750X00.250 | 5.619157895 | 0 | 16.5 | 12 |
| M6061T6B0.750X00.750 | 0.922943162 | 0 | 18.44095 | 24 |
| M6061T6B0.750X01.000 | 0.821052632 | 0 | 40 | 12 |
| M6061T6B0.750X01.500 | 5.97E-02 | 0 | 10.831 | 24x40.5+ |
| M6061T6B0.750X03.000 | 2.28E-02 | 0 | 53 | 20 |
| M6061T6B00750X00.125 | 30.39619474 | 0 | 34.8243 | 80 80.5+ |
| M6061T6B1.000X02.000 | 16.67269474 | 0 | 68.8003 | 40 |
| M6061T6B1.000X02.500 | 8.08E-02 | 0 | 35.36 | 12 |
| M6061T6B1.000X04.000 | 33.28456316 | 0 | 56.3005 | 12 |
| M6061T6B1.000X06.000 | 2.325987994 | 0 | 12 | 6 |
| M6061T6B1.000X12.000 | 25.53970526 | 0 | 20.569 | 12 12.5+ |
| M6061T6B1.000X15.000 | 5.219473684 | 0 | 38.09 | 24 |
| M6061T6B1.500X01.500 | 2.629373684 | 0 | 7.0252 | 12 12.5+ |
| M6061T6B2.000X01.250 | 14.51773681 | 0 | 27.4555 | 20 |
| M6061T6B2.000X04.500 | 2.495783684 | 0 | 10.86631 | 6 |
| M6061T6B2.500X03.500 | 0.895771111 | 0 | 9 | 8 |
| M6061T6B30000X01.500 | 5.159783411 | 0 | 23.1789 | 20 |
| M6061T6H1.000 | 1.926105263 | 0 | 6.13 | 12 |
| M6061T6R0.625 | 44.34959474 | 0 | 54.96 | 30 |
| M6061T6R0.750 | 5.251873684 | 0 | 2.464842105 | 40 40.5+ |
| M6061T6R1.000 | 7.849136842 | 0 | 13.68 | 12 24.5+ |
| M6061T6R1.250 | 1.406097368 | 0 | 51.48205 | 12 |
| M6061T6R1.500 | 0.238736842 | 0 | 15.54 | 2 |
| M6061T6S.125 | 12.43718982 | 0 | 70.56 | 96 |
| M6061T6T0.375W.035 | 8.771446674 | 0 | 235.511716 | 100 |
| M6061T6T0.500W.035 | 11.05106842 | 0 | 244.055 | 100 |
| M6061T6T0.500W.058 | 32.25105263 | 0 | 104.5 | 80 |
| M6061T6T0.625W.049 | 3.789473684 | 0 | 26 | 10 |
| M6061T6T1.000W.188 | 30.71099361 | 0 | 53.516368 | 40 |
| M6061T6T1.500W.125 | 3.026315789 | 0 | 29.5 | 12 |
| M6061T6T1.750W.065 | 1.956842105 | 0 | 31.959 | 12 |
| M6061T6T3.500W.375 | 5.368421053 | 0 | 8.5 | 0 |
| M6061T6T5.000W.125 | 5.757889474 | 0 | 24.3754 | 6 |
| M6061T6TR4.0X2.0W125 | 19.80520526 | 0 | 40 | 6 |
| M6061T6TS0.750W.062 | 74.99468053 | 0 | 120.91227 | 100 |
| M6061T6TS1.000W.065 | 1.78E-15 | 0 | 0 | 0 |
| M7075T6B1.000X1.000 | 0.492284592 | 0 | 12 | 10 |
| M7075T6B1.500X1.500 | 0.221021053 | 0 | 16.8526 | 6 |

Q U O T A T I O N

No: PEC ST-281721

Quoted By:
 THYSSENKRUPP MATERIALS NA
 2821 LANGSTAFF ROAD
 CONCORD, ONTARIO L4K 5C6
 Tel: 905 669 9444 Fax: 9057389033

Quoted To: (20115)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7

Quoted Ship To: (1)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7

Trm NET 30 DAYS/NET 30 JOURS Qtd 07Dec10 Qte Ref
 Frt PREPAID Via
 Tel 613-632-9577 Fax 613-632-1053 Ctc CHANTAL
 Slp TRINA VINCE (905-532-1365)

FOB

Q U O T A T I O N

QT No: PEC ST-281721

Test Certs: Chem-Y Phys-Y 1 Original copies with Shipment, 1 with Invoice

**ITEMS # 1-6 - MATERIAL IN STOCK

| | | |
|------------------------------------------|---------------------|-------------------|
| 1 ALUMINUM FLAT BAR 6061-T6511 | 2 PCS | 54 LBS |
| .750" X 1.50" X 240.0000" | | |
| MATERIAL | 2 PCS @ 59.4000 EA | 118.80 |
| 2 ALUMINUM FLAT BAR 6061-T6511 ✓ | 4 PCS | 9 LBS |
| .125" X .750" X 240.0000" | | |
| MATERIAL | 4 PCS @ 4.9500 EA | 19.80 ✓ |
| 3 ALUMINUM FLT BAR ECONOPLT 6061-T6511 ✓ | 1 PCS | 170 LBS |
| 1.00" X 12.00" X 144.5000" | | |
| MATERIAL | 1 PCS @ 374.0000 EA | 374.00 ✓ |
| 4 ALUMINUM SQUARE BAR 6061-T6511 ✓ | 1 PCS | 32 LBS ✓ |
| 1.50" X 144.0000" | | |
| MATERIAL | 1 PCS @ 70.4000 EA | 70.40 |
| 5 ALUMINUM ROUND BAR 6061-T6511 ✓ | 4 PCS | 26 LBS |
| .750" DIA X 144.0000" | | |
| MATERIAL | 4 PCS @ 14.3000 EA | 57.20 ✓ |
| 6 ALUMINUM ROUND BAR 6061-T6511 | 2 PCS | 23 LBS |
| 1.00" DIA X 144.0000" | | |
| MATERIAL | 2 PCS @ 25.3000 EA | 50.60 ✓ |
| 7 ALUMINUM ROUND BAR 7075T7351 | 2 PCS | 23 LBS |
| 1.00" DIA X 144.0000" | | |
| **5-7 DAY LEADTIME | | |
| MATERIAL | 2 PCS @ 74.0000 EA | 148.00 |

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT

Q U O T A T I O N

No: PEC ST-281721

Quoted By:
 THYSSENKRUPP MATERIALS NA
 2821 LANGSTAFF ROAD
 CONCORD, ONTARIO L4K 5C6
 Tel: 905 669 9444 Fax: 9057389033

Quoted To: (20115)
 DART AEROSPACE

Quoted Ship To: (1)
 DART AEROSPACE

Q U O T A T I O N

QT No: PEC ST-281721

WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
 TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **

** REFERENCED ON IT **

Price in effect at time of shipment.

Price based on receipt of total order.

All weights are theoretical.

All orders are subject to credit approval.

**** TEL. 800-926-2600 ****

*** CUSTOMER PICK-UP HOURS ***

*** 9:00 AM TO 4:00 PM ***

* WE STOCK STAINLESS STEEL!!!! * *

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$15.00 ENERGY SURCHARGE WILL BE

ADDED TO EVERY ORDER AS OF DEC 8/08.***

Order Totals: 7 Items 337 LBS

| Material | Processing | Freight | Other | Taxes | ORDER AMT |
|---------------|------------|---------|-------|--------|-----------|
| 838.80 | | | | 109.04 | 947.84 |
| ***** | | | | | |
| Taxes: ONHSTS | 109.04 | 0.00 | | 0.00 | 0.00 |

TRANSMISSION VERIFICATION REPORT

TIME : 12/08/2010 15:56
NAME :
FAX :
TEL :
SER.# : F9N212739

| | |
|--------------|-------------|
| DATE, TIME | 12/08 15:55 |
| FAX NO./NAME | 19057369033 |
| DURATION | 00:00:31 |
| PAGE(S) | 02 |
| RESULT | OK |
| MODE | STANDARD |
| | ECM |



60 Ward Road, Brampton, Ontario L6S 4L5
Telephone: (905) 789-5000 • Fax: (905) 789-5050 • 1-800-895-APEX
www.apexintl.com G.S.T.# 87194 0573RT Q.S.T.# 1147387527

ASSIGNEE/CONSIGNATAIRE

1241520048

PART SHIPPER
2270 LONGSTAFF RD

BRAMPTON, ON L6S 4L5

DER NO./NO. DE COMMANDE 25

SPECIAL INSTRUCTIONS/INSTRUCTIONS SPÉCIALES

PRO NO./NO. DU PRO



01241520048

SHIPPER/EXPÉDITEUR

THYWORKSHOP MATERIALS LTD.
2270 LONGSTAFF RD

BRAMPTON, ON L6S 4L5

SHIPPER'S NO./NO. DE L'EXPÉDITEUR 7151012

BILL TO/À LA CHARGE

CUST. NO./NO. DE CLIENT

THYWORKSHOP MATERIALS LTD.
2270 LONGSTAFF RD

| VAN NO. NO. DU CAMION | LOAD NO. NO. DU CHARGEMENT | DATE | ORIGIN/ORIGINE | DEST. |
|--------------------------|-------------------------------|----------|----------------|-------|
| 1241520048 | 1 | 12/10/01 | ONT | ONT |

TRANSFER FROM
TRANSFERER DE

TRANSFER TO
TRANSFERER À

| KGS. KILOS | HM | DESCRIPTION | WEIGHT POIDS | CLASS OR RATE CLASSE OU TAUX | CHARGES CHARGES | CASH COLLECTY COMPTANT À LA RÉCEPTION |
|---------------|----|-------------------------------------|-----------------|---------------------------------|--------------------|------------------------------------------|
| | | BUNDLES DEB HERCH FURN DISCHARGE | 291 | | | |
| TOTALS | | | 291 | TOTAL | | |

FREIGHT RECEIVED IN GOOD ORDER AND
SHRINKWRAP/BANDING INTACT UNLESS NOTED

MARCHANDISE RECUE EN BONNE CONDITION
ET L'EMBALLAGE INTACT SAUF INDICATION CONTRAIRE



AXME

SIGNATURE

DATE

PLEASE PRINT NAME

ANY LOSS OR DAMAGE MUST BE NOTED BY THE RECEIVER ON THE DELIVERY
COPY. OTHERWISE CONSIGNEE'S SIGNATURE WILL CONSTITUTE A CLEAR
RECEIPT.

LES DOMMAGES OU PERTES DOIVENT ÊTRE PRIS EN NOTE PAR LE RECEVEUR ET
SIGNÉS SUR LA COPIE LIVRAISON. SINOÛ, LA SIGNATURE DU CONSIGNATAIRE
PROUVERA QUE LA MARCHANDISE A ÉTÉ REÇUE EN BONNE CONDITION.

CONSIGNEE'S COPY / COPIE CONSIGNATAIRE

Receiving Report

Date: 10/01/11
 Supplier: MAGNO

Batch No: M113608
 Dart P/O: 11060

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☒ N/A ☐
 Shipment Complete: Yes ☒ No ☒ N/A ☒
 QC6 Inspection: ☒ 8 N/A ☒
 Work Order: 1 10/01/11 N/A ☒

Discrepancies

| Part Number | Description | Quantity Ordered | Quantity Received | Quantity Returned | Quantity Short | Comments |
|-------------|-------------|------------------|-------------------|-------------------|----------------|----------|
| | | | | | | |
| | | | | | | |
| | | | | | | |

Initials of receiver (If shipment OK) Level 12

Production/Admin:
 Date: 10/01/11
 Received/Costing:
 Initial:

Location:



Magna Stainless
5775 Kieran St, Saint-Laurent QC H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105

INVOICE

Pg 1 of 1 I021555

SOLD TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY, ON
K6A 1K7

SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY, ON
K6A 1K7

MJR:Y

| | |
|-----------------|----------|
| INVOICE DATE: | 01/11/10 |
| ORDER DATE: | 01/07/10 |
| SHIP DATE: | 01/11/10 |
| ORDER NUMBER: | W023590 |
| PURCHASE ORDER: | PO11060 |

| Currency | | Sales Person | | Ship Via | | F.O.B. | | Terms | |
|------------------|--------------|--------------|------|--------------------------------|--|---------|-----|-------------|------------|
| CANADIAN DOLLARS | | ERYCK BLAIS | | NIR:R-557065-1 | | PREPAID | | NET 30 DAYS | |
| Ln | Back Ordered | Ordered | Unit | Description | | Shipped | | Price Per | Value |
| | | | | ALUMINUM FLATS | | | | | |
| | | 4 | PC | AFL 6061 T6 1/8" x 3/4" x R/L | | 4 | UN | 5.00 | 20.00 ✓ |
| | | | | L026372 20' 4 PC/9 LB | | | | | |
| | | 2 | PC | AFL 6061 T6 1-1/4" x 2" x R/L | | 2 | UN | 133.00 | 266.00 ✓ |
| | | | | L030399 20' 2 PC/118 LB | | | | | |
| | | | | ALUMINUM SHEET | | | | | |
| | | 3 | PC | ASH 6061 T6 .125" x 48" x 96" | | 3 | UN | 190.00 | 570.00 ✓ |
| | | | | L031565 3 PC/173 LB | | | | | |
| | | 6 | PC | ASH 6061 T6 .063" x 48" x 144" | | 288.00 | SFT | 4.5312 | 1,304.99 ✓ |
| | | | | L025694 6 PC/261 LB | | | | | |
| | | | | NO N/A MAT'L | | | | | |

RECEIVED JAN 18 2010

01/12/10 10:47:24

PST Exmp NO: EXEMPT

| | |
|---------------|----------|
| Merchandise: | 2,160.99 |
| Surcharges: | |
| No Tax Costs: | |
| GST | 108.05 |
| Total Due: | 2,269.04 |

Title to the goods sent out on this invoice remains with Magna Stainless Div of CSM ULC until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.

Q.S.T. # 1213236471
G.S.T. # 881565899 RT0001

Purchase Order Receipt Listing

January 11, 2010 8:56:50 AM

Page 1 of 1

All Vendors PO ID PO11060 Receipt Dates from 1/11/2010 to 1/11/2010 All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

All amounts are calculated in domestic currency.


| Purchase Order ID/ Curr Type | Line Nbr/ Insp Req | Project ID | Reference/ Description/ Cert Std | PO U/M/ Stock U/M | Required Date Required Qty | Recv Date/ Recv Emp | Recv Qty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MRB Qty/ MRB Reject Qty | Book Amt |
|---------------------------------|-----------------------|------------|----------------------------------------|----------------------|-------------------------------|------------------------|----------------------|------------------------------|--------------------------------------------|----------------------------|--------------|
| Vendor ID/Vendor Name | | VC-MAG002 | Magna Stainless | | | | | | | | |
| PO11060 | 2 | | M606176B00750X00 f | | 1/11/2010 | 1/11/2010 | 80.0000 | \$0.25 | 0.0000 | 0 | \$20.00 ✓ |
| CAD | No | | .125 | | | | | | | | |
| | | | 6061-T6 Bar .750 x f | | 80.0000 | Stores | | \$20.00 | 0.0000 | 0 | |
| | | | .125 | | | | | | | | |
| | | | I13608 | | | | | | | | |
| | 3 | | M606176B2.000X01. f | | 1/11/2010 | 1/11/2010 | 40.0000 | \$11.08 | 0.0000 | 0 | \$443.20 ✓ |
| | No | | 250 | | | | | | | | |
| | | | 6061-T6 Bar 2.00 x f | | 24.0000 | Stores | | \$443.20 | 0.0000 | 0 | |
| | | | .125 | | | | | | | | |
| | | | I13608 | | | | | | | | |
| | 4 | | M606176S.125 sf | | 1/11/2010 | 1/11/2010 | 96.0000 | \$5.94 | 0.0000 | 0 | \$570.00 ✓ |
| | No | | 6061-T6 .125 Sheet sf | | 96.0000 | Stores | | \$570.00 | 0.0000 | 0 | |
| | | | I13608 | | | | | | | | |
| | 5 | | M606176S.063 sf | | 1/11/2010 | 1/11/2010 | 288.0000 | \$4.53 | 0.0000 | 0 | \$1,304.99 ✓ |
| | No | | 6061-T6 .063 Sheet sf | | 256.0000 | Stores | | \$1,304.99 | 0.0000 | 0 | |
| | | | I13608 | | | | | | | | |

Total Received Quantity: 504.0000
Total Qty to Inspect (PO U/M): 0.0000
Total Reject Quantity: 0.0000
Total Receipt Value: \$2,338.19
Total Balance Due Quantity: 0.0000



Magna Stainless

5775 Kieran St, Saint-Laurent, Quebec H4S 0A3
Phone: (514) 339-1211 Watts: 1-800-363-6646 Fax: (514) 339-1105



PACKING LIST

Page 1 of 1

I021555

SOLD TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY
K6A 1K7
Contact: CHANTAL

SHIP TO:
DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY
K6A 1K7
Ship Terms: PREPAID

SPECIAL INSTRUCTIONS



| | | | | | | | | | |
|-------------|------------------|--------------|-------------|----------------|----------------|--------------|----------------|---------------|----------|
| Currency | Canadian Dollars | Sales Person | ERYCK BLAIS | Customer Phone | (613) 632-5200 | Customer Fax | (613) 632-1053 | Customer PO | PO11060 |
| Sales Order | W023590 | Terms | NET 30 DAYS | Ship Via | NIR:R-557065-1 | Date Ordered | 01/07/10 | Date Required | 01/11/10 |
| | | | | | | Date Shipped | 01/11/10 | | |

| Ordered | Back Ordered | Unit | Description | Bundle # | Heat # | Shipped |
|---------|--------------|------|--------------------------------------------------|----------|-----------|---------|
| 4 | | PC | ALUMINUM FLATS AFL 6061 T6 1/8" x 3/4" x R/L | | | |
| 2 | | PC | 20' 9 LB / 4 PC AFL 6061 T6 1-1/4" x 2" x R/L | L026372 | 07C043 | 4 |
| | | | 20' 118 LB / 2 PC | L030399 | 46512 | 2 |
| 3 | | PC | ALUMINUM SHEET ASH 6061 T6 .125" x 48" x 96" | | | |
| 6 | | PC | 173 LB / 3 PC ASH 6061 T6 .063" x 48" x 144" | L031565 | 329280101 | 3 |
| | | | 261 LB / 6 PC NO N/A MAT'L | L025694 | K05406A | 6 |

Approx Weight: 561 LB

10/10/11

Bundles: 1 Skids: 1

Received by:

Date:

Signature:



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO11060

Purchase Order Date 1/07/10

PO Print Date 1/07/10

Page Number 1 of 2

Order From :

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

VC-MAG002

FAKED

Contact Name

Vendor Phone 800 363 6646

Vendor Fax 514 339 1105

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr 10127-2607

Terms

Net 30

Currency

CAD

FOB

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

| Line Nbr | Reference Revision ID Vendor Part Number | Description/ Mfg ID | Req Date/ Taxable | Req Qty/ Unit of Measure | Ship Method | Unit Price | Extended Price |
|----------|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----------------------------|-------------------------|------------|-------------------|
| 1 | M6061T6R0.625 | 6061-T6 Round Bar .625" | 1/15/10 Yes | 40.00 f | Yours ppd | \$3.8000 | \$152.00 |
| | | Special Inst: MATERIAL: 6061-T6/6511/T6510/16511/T62 ALUMINUM ROUND BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8/AMS 4117/4128/4115/4116 OR ASTM B211 OR ASTM B221 | | | | | |
| 2 | M6061T6B00750X00.125 | 6061-T6 Bar .750 x .125 | 1/11/10 Yes | 80.00 f | Yours ppd P 12/11/11 | \$0.2500 | \$20.00 |
| | | Special Inst: MATERIAL SAME AS ABOVE | | | | | |
| 3 | M6061T6B2.000X01.250 | 6061-T6 Bar 2.00 x 1.25 | 1/11/10 Yes | 24.00 f | Yours ppd P 12/11/11 | \$11.0800 | \$265.92 |
| | | Special Inst: MATERIAL SAME AS ABOVE | | | | | |
| 4 | M6061T6S.125 | 6061-T6 .125 Sheet | 1/11/10 Yes | 96.00 sf | Yours ppd P 12/11/11 | \$5.9375 | \$570.00 |
| | | Special Inst: MATERIAL: 6061-T6/T62 | | | | | |

1/07/10



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO11060

Purchase Order Date 1/07/10

PO Print Date 1/07/10

Page Number 2 of 2

Order From :

MAGNA STAINLESS
5775 RUE KIERAN
ST LAURENT, QC H4S 0A3
CA

VC-MAG002

Contact Name

Vendor Phone 800 363 6646
Vendor Fax 514 339 1105
Vendor Account Nbr

Buyer Chantal Lavoie

Requisition Nbr

Tax Resale Nbr 10127-2607

Terms Net 30

Currency CAD

FOB

ALUMINUM SHEET
AS PER QQ-A-250/11 OR AMS-QQ A-
250/11 OR AMS 4025
AMS 4027 OR ASTM B209

| | | | | | | | |
|---|--------------|--------------------|---------|--------|-----------|----------|------------|
| 5 | M6061T6S.063 | 6061-T6 .063 Sheet | 1/11/10 | 256.00 | Yours ppd | \$4.5312 | \$1,159.99 |
| | | | Yes | sf | | | |

Special Inst: MATERIAL: SAME AS ABOVE

| | | | | | | | |
|---|--------------|--------------------|---------|--------|-----------|-----------|------------|
| 6 | M2024T3S.080 | 2024-T3 .080 sheet | 1/15/10 | 196.00 | Yours ppd | \$10.9375 | \$2,143.75 |
| | | | Yes | sf | | | |

Special Inst: MATERIAL: 2024-T3 ALUMINUM
SHEET
AS PER QQ-A-250/4 OR AMS-QQ-
AA-250/4 OR
AMS 4037 OR ASTM B209

| | | | | | | | |
|---|---------------------|------------------------|---------|-------|-----------|-----------|----------|
| 7 | M7075T6B1.000X1.000 | 7075 T6 BAR 1.00 x1.00 | 1/15/10 | 12.00 | Yours ppd | \$16.2500 | \$195.00 |
| | | | Yes | f | | | |

Special Inst: MATERIAL: 7075-T6/T651/T6511/T62
ALUMINUM BAR PER AMS-QQ-A-
225/9 OR AMS 4122/4123/4186/4187
OR
PER AMS-QQ-A-200/11

| | | | | | | | |
|---|------------------|------------------------------|---------|--------|-----------|----------|----------|
| 8 | M304TS0.750W.049 | 304 SQ Tube .75x.75x.049W | 1/15/10 | 100.00 | Yours ppd | \$3.2500 | \$325.00 |
| | | | Yes | f | | | |

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Special Inst: MATERIAL: 304 SEAMLESS
SQUARE TUBING NO MILL FINISH

PO Total: \$4,831.66

Change Nbr: 2

Change Date: 1/07/10

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable



325 rue Avro
Pointe-Claire, QC, Canada
H9R 5W3
Téléphone (514) 697-5120
Fac-simile (514) 694-8310

Test de dureté Rockwell Rockwell Hardness Test

Client / Customer : **MAGNA STAINLESS INC.**

Adresse / Address : **5775 RUE KIERAN
SAINT LAURENT, QUEBEC
H4S 0A3**

commande Indalex / Indalex order # : **9072272**

bon de commande / Purchase order # : **P006233**

de matrice / Die # : **MS 16382**

Description : **2" X 1 1/4" FLAT BAR**

Alliage & trempage / Alloy & temper : **6061 T6**

Customer Part # : **N/A**

Contrôle / Control # : **3267-1**

Coulée / Cast # : **46512**

Dureté Rockwell E /
Rockwell E hardness : **94 HRE**

Min. requis /
Min. required : **88 HRE**

Max. permis /
Max. permitted : **100 HRE**

Composition chimique typique / Typical chemical composition :


| | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti |
|-------|-------------|-------------|-------------|-------------|-------------|-------------|----------|----------|
| 6063 | 0.20 - 0.60 | 0.35 Max | 0.10 Max | 0.10 Max | 0.45 - 0.90 | 0.10 Max | 0.10 Max | 0.10 Max |
| 6005 | 0.60 - 0.90 | 0.35 Max | 0.10 Max | 0.10 Max | 0.40 - 0.60 | 0.10 Max | 0.10 Max | 0.10 Max |
| 6005A | 0.66 - 0.74 | 0.14 - 0.28 | 0.08 - 0.16 | 0.18 - 0.26 | 0.46 - 0.54 | 0.03 Max | 0.05 Max | 0.05 Max |
| 6061 | 0.40 - 0.80 | 0.70 Max | 0.15 - 0.40 | 0.15 Max | 0.80 - 1.20 | 0.04 - 0.35 | 0.25 Max | 0.15 Max |
| 6351 | 0.7 - 1.3 | 0.5 Max | 0.10 Max | 0.40 - 0.80 | 0.40 - 0.80 | --- | 0.20 Max | 0.20 Max |

Nous certifions que le matériel fourni rencontre les exigences chimiques telles qu'annoncées par la norme ASTM B-221 excepté pour la section 8.2 (nombre de spécimen) et AMS QQA 200/8 excepté pour la section 4.2.3.1 (nombre de spécimen) qui sont déterminés par les exigences du client.

We hereby certify that the material supplied meets the chemical properties as published by the ASTM B-221 except for section 8.2 (number of specimen) and AMS QQA 200/8 except for section 4.2.3.1 (number of specimen) which is determined by customer requirement.

Sincèrement vôtre,
Yours truly,

date : **14/08/2009**


Steve Desbois-Biard
Assistant qualité
Quality assistant

Indalex Limited

P006233 - MS16382



Abnahmeprüfzeugnis 3.1 (EN 10204)
Inspection certificate – mill certificate

Zertifiziert nach / certified to ISO 9001, ISO/TS 16949, EN/AS 9100, ISO 14001, NADCAP

Nr.: 85368130 01 / 3

Rev. 0

Seite / page: 1 von / of 2

Datum / date: 2009 06 24

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Auftraggeber / customer: A.S.A. Alloys Div. of Canadian Specialty Metals ULC 81 Steinway Blvd CDN-M9W 6H6 ETOBICOKE | Bestell-Nr. / order no.: 079744-DRB Datum / date: 2009 04 29 |
| Warenempfänger / consignee: A.S.A. Alloys Div. of Canadian Specialty Metals ULC 81 Steinway Blvd CDN-M9W 6H6 ETOBICOKE | Auftragsbest. Nr. / order confirm. no.: 597957 Datum / date: 2009 04 30 |
| Endkunde, Bestell-Nr. / Your cust., ord. no.: | Lieferschein Nr. / delivery note: 85368130 Datum / date: 2009 06 24 |
| | Akkreditiv Nr. / letter of credit no.: |

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Produkt/product: Form / form: Sheet Werkstoff / material: 6061 Zustand / temper: T6 Dim. / dim.: [Inch]: 0,125x48,00x96,00 Kundenartikel-Nr / customer article no.: | Bedingungen/terms: Techn. Lieferbedingungen / techn. spec.: AMS-QQ-A-250/11, 08.1997 ASTM B 209 - 07 Material meets also AMS 4027N, 07.2008, but not marked ANSI H35.2-2006 ASME SB 209, 2007 Sondervorschrift / special terms: |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| AB-Pos. ord. item | BNr/Los/Teillos Lot/No./Part | Guss-Nr. cast no. | Werkstoff material | Kollo- packno. | Gewicht netto weight net | Stk. pcs. |
|----------------------|---------------------------------|----------------------|-----------------------|-------------------|-----------------------------|--------------|
| 02 | 32928/01/01 | 01/0034540/9 | 6061.1 | 5979570001 | 3247,354 lbs | 59 |
| 02 | 32928/01/01 | 01/0034540/9 | 6061.1 | 5979570002 | 3253,968 lbs | 59 |
| 02 | 32928/01/01 | 01/0034540/9 | 6061.1 | 5979570003 | 3253,968 lbs | 59 |

| Chemische Zusammensetzung / chemical composition: [%] Gewichtsteile / weight proportion | | | | | | | | | | |
|-----------------------------------------------------------------------------------------|------------------|------|------|------|------|------|------|------|------|------|
| Guss-Nr. / cast no. | AMAG designation | Si | Fe | Cu | Mn | Mg | Cr | Ni | Zn | Ti |
| 01/0034540/9 | 6061.1 | | | | | | | | | |
| | actual | 0,82 | 0,49 | 0,21 | 0,08 | 0,86 | 0,16 | 0,01 | 0,12 | 0,06 |

| Zugversuch / Tensile test | | | | | | | | | |
|---------------------------|-------------------|-----------------------|--|--|-------------|----------------|------------|--|--|
| BNr/Los Lot/No. | Zustand temper | Richtung direction | | | Rm [ksi] | Rp0.2 [ksi] | A2" [%] | | |
| 32928/01 | T6 | LT | | | 47,0 | 39,6 | 15 | | |
| 32928/01 | T6 | LT | | | 47,1 | 39,7 | 16 | | |
| 32928/01 | T6 | LT | | | 47,3 | 39,7 | 16 | | |
| 32928/01 | T6 | LT | | | 47,0 | 39,7 | 16 | | |
| 32928/01 | T6 | LT | | | 47,1 | 39,9 | 16 | | |
| 32928/01 | T6 | LT | | | 47,4 | 39,9 | 16 | | |
| 32928/01 | T6 | LT | | | 47,0 | 39,7 | 15 | | |
| 32928/01 | T6 | LT | | | 47,0 | 39,6 | 16 | | |
| 32928/01 | T6 | LT | | | 47,0 | 39,6 | 16 | | |
| 32928/01 | T6 | LT | | | 47,0 | 39,7 | 16 | | |

AMAG rolling GmbH, Postfach 32, A-5282 Ranshofen, Österreich – www.amag.at
AMAG rolling GmbH, P.O. Box 32, A-5282 Ranshofen, Austria – www.amag.at



Abnahmeprüfzeugnis 3.1 (EN 10204)
Inspection certificate – mill certificate

Zertifiziert nach / certified to ISO 9001, ISO/TS 16949, ENAS 9100, ISO 14001, NADCAP

Nr.: 85368130 01 / 3

Rev. 0

Seite / page: 2 von / of 2

Datum / date: 2009 06 24

Es wird bestätigt, dass die Lieferung geprüft wurde und den Vereinbarungen bei der Bestellung entspricht.
We hereby certify that the material described above has been tested and complies with the terms of the order contract.

| | |
|-----------------------------------------------|--------------------|
| Werkssachverständiger / factory specialist | E-Mail / e-mail |
| Josef Klampfer | j.klampfer@amag.at |

Herstellerland: Österreich / goods origin: The goods are of Austrian origin.
Maschinell erstellt - Gültig ohne Unterschrift / Automated - valid without being signed.

Novelis Inc.
11 LAPPAN'S LANE
P.O. BOX 2000
KINGSTON, ONTARIO, CANADA K7L4Z6

CERTIFICATION OF PROPERTIES AND
CHEMICAL ANALYSIS

SOLD TO:
MANDEL METALS INC
11400 ADDISON STREET

SHIP TO:
MANDEL METALS INC
11400 ADDISON STREET

FRANKLIN PARK IL
80131

FRANKLIN PARK IL
80131

PRINT DATE:
2009/04/17

CUST PO: 02-11832

LOAD: 4284

ALLOY: 6061

PACK: 52644221

TEMPER: T6

CUST PART #:

COIL:

GAUGE:

K05406A

0.0830

in

SALES ORDER: 66515340-0010

NET WT: 9237 lbs

WIDTH: 48.000 in

MECHANICAL SPECIFICATIONS:

GAUGE LENGTH = 2.00 in

AMS-QQ-A-250/11-97 ASTM B209-02 AMS4027M

I certify that the materials detailed herein have been tested and that
documentary evidence of the test or release certificate is on file.

Per

Process Leader

| Location: FRONT END | | UOM | TEMPER | TEST DATE |
|---------------------|----------|-----|--------|-------------|
| UTS | T:45.95 | ksi | T6 | 17-APR-2009 |
| YTS | T:38.17 | ksi | T6 | 17-APR-2009 |
| Elongation | T:13 | % | T6 | 17-APR-2009 |
| Tensile Thickness | T:0.0604 | in | T6 | 17-APR-2009 |
| Location: BACK END | | UOM | TEMPER | TEST DATE |
| UTS | T:44.08 | ksi | T6 | 17-APR-2009 |
| YTS | T:37.08 | ksi | T6 | 17-APR-2009 |
| Elongation | T:12 | % | T6 | 17-APR-2009 |
| Tensile Thickness | T:0.0609 | in | T6 | 17-APR-2009 |

Chemistry
***** LAYER: 01 *****
Al 97.6900 Si 0.5500 Fe 0.4600 Cu 0.2200 Mn 0.0100 Mg 0.8800 Cr 0.1700 Ni 0.0000 Zn 0.0100
Ti 0.0100 Be 0.0000 Pb 0.0000
EACH: 0.0000 TOTAL: 0.0000

2004379

P004846

Aluminium Mill Certificate

Cert. No.: KAP617163

Customer:

Contract No.: CA-SM74134

Alloy Temper: 6061-T6511

Container No: ZCSU9005739/45HQ



Taishan City Kam Kiu Aluminium Extrusion Co. Ltd.
Address: Daijiang County, Taishan, Guang Dong, China
Tel: (86) 7505438596 Fax: (86) 7505438173

Standards: ASTM-B221 & AMS-QQ-A-200/8

Shipment Date: Nov 28 2007

PO No: P00835

Invoice No: M76412

| | | | | | | | | | | | | | | | | | | | | | |
|--------------|----------|-----------------------|-------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------|-------|---------------|---------|-----------------------|--------------------|-----------------------|--------|------------|--|
| | | | Shipment Date: Nov 28 2007 | | | | | | | | | | | PO No: P00835 | | | Invoice No: M76412 | | | | |
| Product Code | Die No | Specification | 6061 Chemical Composition (%) | | | | | | | | | | | | | Tensile | | Yield | | Elongation | |
| | | | Heat No. | Si 0.40-0.80 | Mg 0.80-1.20 | Fe 0.70 max. | Cu 0.15-0.40 | Mn 0.15 max. | Zn 0.25 max. | Cr 0.04-0.35 | Ti 0.15 max. | Pb -- | Bi -- | Zr -- | Al Rem. | N/mm ² 265 | ksi 38 | N/mm ² 245 | ksi 36 | % 8 | |
| | 6079 | ANGLE .75X.75X.125 R | 07G273 | 0.725 | 0.952 | 0.202 | 0.246 | 0.049 | 0.016 | 0.113 | 0.013 | 0.001 | | | | | | | | | |
| | 6009-318 | ANGLE 1 X 1 X 1/8 RF | 07C043 | 0.746 | 0.958 | 0.201 | 0.278 | 0.041 | 0.200 | 0.123 | 0.012 | 0.001 | | | Rem. | 295 | 43.0 | 267 | 39.0 | 12.8 | |
| | 6009-318 | ANGLE 1 X 1 X 1/8 RF | 07C043 | 0.746 | 0.958 | 0.201 | 0.278 | 0.041 | 0.200 | 0.123 | 0.012 | 0.001 | | | Rem. | 306 | 44.0 | 289 | 42.0 | 15.0 | |
| | 6076 | ANGLE 1.25X1.25X.125R | 07C077 | 0.708 | 0.965 | 0.201 | 0.261 | 0.047 | 0.049 | 0.120 | 0.012 | 0.001 | | | Rem. | 306 | 44.0 | 289 | 42.0 | 15.0 | |
| | 6043 | ANGLE 2X2X1/8 | 07C043 | 0.746 | 0.958 | 0.201 | 0.278 | 0.041 | 0.200 | 0.123 | 0.012 | 0.001 | | | Rem. | 303 | 44.0 | 290 | 42.0 | 11.0 | |
| | 5043 | ANGLE 2X2X1/8 | 07C043 | 0.746 | 0.958 | 0.201 | 0.278 | 0.041 | 0.200 | 0.123 | 0.012 | 0.001 | | | Rem. | 285 | 41.0 | 267 | 39.0 | 11.6 | |
| | 6012-476 | ANGLE 1.5X1.5X3/16 | 07D877 | 0.734 | 0.982 | 0.204 | 0.234 | 0.042 | 0.025 | 0.127 | 0.013 | 0.002 | | | Rem. | 303 | 44.0 | 273 | 40.0 | 16.4 | |
| | 6041 | ANGLE 2X2X3/16 RF | 07G273 | 0.725 | 0.952 | 0.202 | 0.246 | 0.049 | 0.016 | 0.113 | 0.013 | 0.001 | | | Rem. | 330 | 48.0 | 295 | 43.0 | 17.2 | |
| | 90107 | CHANNEL 3X1.5X3/16RF | 07D677 | 0.734 | 0.962 | 0.204 | 0.234 | 0.042 | 0.025 | 0.127 | 0.013 | 0.002 | | | Rem. | 306 | 44.0 | 283 | 41.0 | 14.4 | |
| | 01099 | FLAT BAR 3/16X2.00 | 07C077 | 0.708 | 0.985 | 0.201 | 0.261 | 0.047 | 0.049 | 0.120 | 0.012 | 0.001 | | | Rem. | 289 | 42.0 | 263 | 38.0 | 14.4 | |
| | 07606 | FLAT BAR 188X3.000 | 07C043 | 0.746 | 0.958 | 0.201 | 0.278 | 0.041 | 0.200 | 0.123 | 0.012 | 0.001 | | | Rem. | 305 | 44.0 | 295 | 43.0 | 11.0 | |
| | 44416 | REC TUBE RC 3X2X.125" | 07D677 | 0.734 | 0.962 | 0.204 | 0.234 | 0.042 | 0.025 | 0.127 | 0.013 | 0.002 | | | Rem. | 337 | 49.0 | 313 | 46.0 | 12.0 | |
| | 44415 | REC TUBE RC 3X2X.25" | 07D677 | 0.734 | 0.962 | 0.204 | 0.234 | 0.042 | 0.025 | 0.127 | 0.013 | 0.002 | | | Rem. | 313 | 45.0 | 289 | 42.0 | 13.2 | |
| | 44417 | REC TUBE RC 4X2X.12" | 07D677 | 0.734 | 0.962 | 0.204 | 0.234 | 0.042 | 0.025 | 0.127 | 0.013 | 0.002 | | | Rem. | 324 | 47.0 | 307 | 45.0 | 15.2 | |
| | 4057 | SQ TUBE RC 2X2X.12" | 07D677 | 0.734 | 0.962 | 0.204 | 0.234 | 0.042 | 0.025 | 0.127 | 0.013 | 0.002 | | | Rem. | 289 | 42.0 | 275 | 40.0 | 11.0 | |
| | 01037 | FLAT BAR .125X.750 | 07C043 | 0.746 | 0.958 | 0.201 | 0.278 | 0.041 | 0.200 | 0.123 | 0.012 | 0.001 | | | Rem. | 301 | 44.0 | 283 | 41.0 | 13.4 | |
| | 0069 | FLAT BAR .125X1.00 | 07G273 | 0.725 | 0.952 | 0.202 | 0.246 | 0.049 | 0.016 | 0.113 | 0.013 | 0.001 | | | Rem. | 309 | 45.0 | 293 | 42.0 | 14.8 | |
| | 4055 | SQ TUBE 1X1X.12 | 07G273 | 0.725 | 0.952 | 0.202 | 0.246 | 0.049 | 0.016 | 0.113 | 0.013 | 0.001 | | | Rem. | 318 | 46.0 | 285 | 41.0 | 11.8 | |
| | | | | | | | | | | | | | | | Rem. | 301 | 44.0 | 270 | 39.0 | 13.0 | |

Solo/11

Level 14, Uptown I, No. 1 Jalan SS21/58, Damansara Uptown, 47400 Petaling Jaya, Selangor Darul Ehsan, Malaysia.
c/o

Room 17, 18/F, North Tower, Concordia Plaza, 1 Science Museum Road, Kowloon, Hong Kong
Tel No: (852)23020808, Fax No: (852)23020062
E-mail: info@kamkiu.com Web Page: www.kamkiu.com

Aluminium Mill Certificate

Cert. No.: KAP617163
 Customer:
 Contract No.: CA-SM74134
 Alloy Temper: 6061-T6511
 Container No: ZCSU9005739/45HQ

KAP Taishan City Kam Kiu Aluminium Extrusion Co. Ltd.
 Address: Daijiang County, Taishan, Guang Dong, China
 Tel: (86) 7505438596 Fax: (86) 7505438173

Standards: ASTM-B221 & AMS-QQ-A-200/8
 Shipment Date: Nov 28 2007
 PO No: P00835

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|--|--------|---------------|-------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----|----|----|------|-------------------|-----|--------------------|-----|------------|--|
| Product Code | | | Die No | Specification | 6061 Chemical Composition (%) | | | | | | | | | | | | | | | Invoice No: M76412 | | | |
| | | | | | Heat No. | Si | Mg | Fe | Cu | Mn | Zn | Cr | Ti | Pb | Bi | Zr | Al | Tensile Strength | | Yield | | Elongation | |
| | | | | | | 0.40-0.80 | 0.80-1.20 | 0.70 max. | 0.15-0.40 | 0.15 max. | 0.25 max. | 0.04-0.35 | 0.15 max. | -- | -- | -- | Rem. | N/mm ² | ksi | N/mm ² | ksi | % | |
| | | | | | | | | | | | | | | | | | | 285 | 38 | 245 | 36 | 8 | |

Standards: ASTM-B221 & AMS-QQ-A-200/6

Shipment Date: Nov 28 2007

PO No: P00835

Kam Kiu Aluminium Group hereby certifies that metal shipped under the above mentioned PO No, Contract No, and Container No has been inspected and tested, and found to comply with applicable specifications forming a part of the description set forth in Kam Kiu's Sales Contract. This Mill Test Certificate complies to 3.1.1 of the above mentioned standards.

Prepared By:

Kam Kiu Aluminium Group hereby certifies that metal shipped under the above mentioned PO No, Contract No, and Container No has been inspected and tested, and found in conformance with the applicable specifications forming a part of the description set forth in Kam Kiu's Sales Contract. This Mill Test Certificate complies to 3.1 EN 10204.

Prepared By:

Waley

Checked By:



Page 2 of 6

Level 14, Uptown 1, No. 1 Jalan SS21/58, Damansara Uptown, 47400 Petaling Jaya, Selangor Darul Ehsan, Malaysia.
 c/o
 Room 17, 18/F, North Tower, Concordia Plaza, 1 Science Museum Road, Kowloon, Hong Kong
 Tel No. (852)23020808, Fax No: (852)23020062
 E-mail: info@kamkiu.com Web Page: www.kamkiu.com

TRANSMISSION VERIFICATION REPORT

TIME : 02/18/2008 02:23
NAME :
FAX :
TEL :
SER.# : F9N212739

| | |
|--------------|-------------|
| DATE, TIME | 02/18 02:22 |
| FAX NO./NAME | 15143391105 |
| DURATION | 00:00:31 |
| PAGE(S) | 02 |
| RESULT | OK |
| MODE | STANDARD |
| | ECM |

Chantal Lavoie

From: Eryck Blais [eblais@magnastainless.com]

Sent: January 7, 2010 8:37 AM

To: 'Chantal Lavoie'

Subject: RE: QUOTE

HI CHANTAL

304 MF 3/4" SQ X .049 X 20' 3.2SSF
15 PCS X 20'
65.00 EACH
DELAY 5-7 DAYS
THANK-YOU--
ERYCK

From: Chantal Lavoie [mailto:clavoie@dartaero.com]

Sent: Wednesday, January 06, 2010 3:25 PM

To: Eryck Blais

Subject: RE: QUOTE

Sorry Erick,
I meant no mill finish, we have purchased that material in the past from you.
Thanks
Chantal

From: Chantal Lavoie [mailto:clavoie@dartaero.com]

Sent: January 4, 2010 1:21 PM

To: 'Eryck Blais'

Subject: QUOTE

Happy New Year Erick,
Please advise price & delivery on material.
304 square tubing seamless no finish .750" x .750" x .049" wall x 300 ft
Thanks
Chantal

Chantal Lavoie

From: Eryck Blais [eblais@magnastainless.com]
Sent: January 7, 2010 11:22 AM
To: 'Chantal Lavoie'
Subject: RE: quote

HI CHANTAL

STK ITEMS CAN DEL'D TOMMOR

THANK YOU
ERYCK

From: Chantal Lavoie [mailto:clavoie@dartaero.com]
Sent: Thursday, January 07, 2010 10:52 AM
To: Eryck Blais
Subject: quote

Please advise price & delivery on material.
6061t6 round bar .625 x 40 ft 4 PCS 38 EA DELAY 5-7 DAYS ✓
6061t6 bar .750" x .125" x 80 ft 4 PCS 5.00 EA STK ✓
6061t6 sheet .125 x 96 sf 3 PCS 190.00 EA STK ✓
6061t6 sheet .063 x 256 sf 6 PCS 145.00 EA STK ✓
6061t6 bar 2" x 1.250" x 24 ft 2 PCS 133.00 EA STK ✓
2024t3 sheet .080 x 196 sf 5 PCS 350.00 EA DELAY 5-7 DAYS
7075t6 bar 1" x 1" x 12 ft 1 PC 195.00 EA DELAY 5-7 DAYS

Thanks
Chantal

1/07/10

| | | | | |
|----------------------|-------------|-----|-------------|------|
| D2712RevB | 35 | 0 | 0 | 250 |
| HX-15 | 35 | 0 | 392 | 20 |
| D2464 | 34.10578947 | 0 | 720.3809737 | 50 |
| AN4-12A | 34 | -3 | 409 | 100 |
| NAS391B6P | 34 | 0 | 83 | 20 |
| AN526C1032R6 | 34 | 0 | 828 | 20 |
| AN5-17A | 33 | 0 | 127 | 75 |
| AN6-12A | 32 | 0 | 360 | 200 |
| AN4-51A | 32 | 0 | 260 | 200 |
| AN5C32A | 32 | 0 | 132 | 100 |
| MS20600-AD4W3 | 32 | 0 | 2509 | 1000 |
| AN3C50A | 32 | 0 | 70 | 50 |
| AN3C46A | 32 | -35 | 104 | 50 |
| D3904-1 | 32 | 0 | 301 | 0 |
| MS20604-AD3W4 | 32 | 0 | 600 | 2000 |
| MS20601-AD4W4 | 32 | 0 | 83 | 10 |
| MS20613-6C16 | 32 | -4 | 11 | 30 |
| D3672-11 | 32 | 0 | 87 | 40 |
| AN526C632R8 | 32 | 0 | 312 | 50 |
| M6063T5A0.750W.063 | 31.00526316 | 0 | 90.9 | 6 |
| AN960JD6 | 31 | -8 | 1303 | 450 |
| MS21069-5 | 31 | 0 | 12 | 40 |
| BLBS-0016 | 30 | 0 | 42 | 4 |
| BLRS-010 | 30 | 0 | 46 | 5 |
| MS27039-08-11 | 30 | -6 | 54 | 30 |
| MS24694-S100 | 30 | 0 | 187 | 100 |
| AN526-1032R9 | 30 | 0 | 115 | 50 |
| D3015-5RevB | 30 | 0 | 0 | 0 |
| MS27039-1-09 | 30 | 0 | 761 | 300 |
| D3569-3 | 30 | 0 | 6 | 2 |
| D3628-3 | 30 | 0 | 466 | 50 |
| GH180C | 30 | 0 | 0 | 0 |
| M2650-6 | 29.84286747 | 0 | 56.85356221 | 30 |
| D2462 | 29.07578947 | 0 | 741.3322 | 50 |
| AN526C632R7 | 29 | 0 | 294 | 30 |
| D2728-3RevB | 29 | 0 | 0 | 0 |
| AN960C616 | 28 | 0 | 141 | 100 |
| D6005-128P | 28 | 0 | 0 | 0 |
| AN5C7A | 28 | 0 | 96 | 50 |
| D3800-3-100 | 26.329 | 0 | 120.258 | 4 |
| MS21042L06 | 26 | 0 | 241 | 100 |
| MS27039-1-06 | 26 | 0 | 942 | 20 |
| MS21209-F120 | 26 | 0 | 44 | 10 |
| AN526C632R12 | 25 | -8 | 94 | 60 |
| MS21059L4 | 25 | 0 | 209 | 100 |
| AN4-16A | 25 | -4 | 114 | 100 |
| AN45-15A | 25 | 0 | 52 | 10 |
| AN5-15A | 25 | 0 | 80 | 50 |
| M6061T6B2.000X01.250 | 24.87220716 | 0 | 19.74736842 | 20 |
| D2182 | 24.63157895 | 0 | 746.6516 | 0 |
| M2024T3S.032 | 24.50044211 | 0 | 218.0254316 | 64 |
| AN4C47A | 24 | -8 | 126 | 40 |

| | | | | |
|------------------------|-------------|-----|-------------|-----|
| MS24693-S272 | 12 | 0 | 384 | 50 |
| MS24694-S148 | 12 | 0 | 71 | 6 |
| NAS1515H3L | 12 | 0 | 510 | 100 |
| AN818-8J | 12 | 0 | 19 | 10 |
| MS20819-8J | 12 | 0 | 37 | 14 |
| D3108-9RevB1 | 12 | -8 | 0 | 4 |
| M7885/2-4-3 | 12 | 0 | 540 | 150 |
| NAS43DD3-14 | 12 | 0 | 105 | 10 |
| NAS509-3 | 12 | -2 | 6 | 4 |
| AN525-832R8 | 12 | 0 | 52 | 50 |
| M6061T6B0.750X00.750 | 11.50834948 | 0 | 31.34108632 | 24 |
| MKYD6185S.125-P3-52068 | 11.35774453 | 0 | 983.4771 | 108 |
| D3428-1RevA | 11 | 0 | 0 | 10 |
| D6103-003RevB | 11 | 0 | 0 | 20 |
| D3954-5RevA | 11 | 0 | 0 | 1 |
| D3949-041RevA | 11 | 0 | 0 | 1 |
| S1475 | 11 | 0 | 21 | 0 |
| D6102-013RevD | 11 | 0 | 0 | 5 |
| D2372 | 11 | 0 | 1 | 5 |
| NAS43DD3-68 | 10 | 0 | 48 | 10 |
| HX-81 | 10 | 0 | 20 | 12 |
| MS21919-DF6 | 10 | 0 | 9 | 2 |
| 6800ZZ | 10 | 0 | 30 | 10 |
| MS21919-WDG9 | 10 | 0 | 10 | 0 |
| MS21072L06 | 10 | 0 | 71 | 50 |
| D212-725-1-147P | 10 | 0 | 98 | 0 |
| SSA4/6-122-315-310N | 10 | 0 | 10 | 0 |
| D2156P | 10 | 0 | 10 | 0 |
| D2204-9 | 10 | 0 | 0 | 0 |
| D3552-7 | 10 | 0 | 23 | 10 |
| D3579-047 | 10 | 0 | 10 | 6 |
| BLRS-002 | 10 | 0 | 7 | 6 |
| 56V-03-36 | 10 | 0 | 23 | 5 |
| MS27039-1-40 | 10 | 0 | 10 | 0 |
| NAS43DD3-128 | 10 | 0 | 20 | 10 |
| 80-004-2-12 | 10 | 0 | 40 | 6 |
| M6061T6B0.500X06.000 | 9.6 | 0 | 10 | 0 |
| M4130NT0.500W.049 | 9.052631579 | 0 | 54.85 | 24 |
| MS27039-4-06 | 9 | 0 | 83.05 | 20 |
| AN310-4 | 9 | 0 | 57 | 20 |
| D350-604-041P | 9 | 0 | 41 | 20 |
| 7/16WC | 9 | 0 | 0 | 0 |
| 3408A59 | 9 | 0 | 621 | 50 |
| MS24665-227 | 9 | 0 | 17 | 0 |
| D3951-041 | 9 | 0 | 44 | 10 |
| M6061T6R0.750 | 8.814821053 | 0 | 1 | 1 |
| M6061T6T0.375W.035 | 8.552472779 | 0 | 82.7864 | 40 |
| D3116-1 | 8.3333 | 0 | 281.9173149 | 100 |
| D3116-3 | 8.3333 | 0 | 90.7067 | 20 |
| M304R1.00 | 8.210526316 | -25 | 20.3667 | 20 |
| M2024T3S1080 | 8.163997368 | 0 | 0 | 0 |
| | | 0 | 102.52505 | 64 |

| | | | | |
|----------------------|-------------|----|-------------|-----|
| K10021 | | | | |
| PR35-1 | 3 | 0 | 1 | 1 |
| D2854 | 2.6664 | 0 | 6.2568 | 6 |
| MPA1/80324X10B | 2.666 | 0 | 116.96 | 40 |
| MDELRLNB0.250X01.000 | 2.658 | 0 | 43 | 0 |
| M6061T6B2.000X04.500 | 2.526315789 | 0 | 8.85 | 0 |
| M174B2.000X01.500 | 2.495789474 | 0 | 20.21 | 6 |
| M6061T6B0.750X01.500 | 2.412105263 | 0 | 14.96 | 1 |
| M6061T6S.063 | 2.1875005 | 0 | 15.6755998 | 12 |
| AN4-17 | 2.063915789 | 0 | 48.16572105 | 96 |
| M6061T6B1.250X01.250 | 2 | 0 | 58 | 0 |
| MS27039-1-22 | 2 | 0 | 56.38 | 6 |
| D3188-2PRevE | 2 | 0 | 126 | 10 |
| AN960JD616L | 2 | 0 | 0 | 0 |
| AN5C15A | 2 | -1 | 192 | 20 |
| D3012-3RevA | 2 | 0 | 116 | 100 |
| AN5-36A | 2 | 0 | 0 | 0 |
| D3554-7RevA | 2 | -8 | 175 | 200 |
| D3015-7RevB | 2 | 0 | 0 | 4 |
| AN4C5A | 2 | 0 | 0 | 0 |
| D3141-1RevA | 2 | 0 | 571 | 50 |
| D3108-5RevB1 | 2 | 0 | 0 | 0 |
| NAS1515H8L | 2 | 0 | 0 | 0 |
| NAS1515H4 | 2 | -8 | 117 | 50 |
| MS20392-3C21 | 2 | 0 | 186 | 100 |
| MS24665-2-12 | 2 | 0 | 20 | 10 |
| D3110-5RevC | 2 | 0 | 130 | 0 |
| AN526-1032R20 | 2 | 0 | 0 | 0 |
| NAS43DD3-40 | 2 | 0 | 41 | 40 |
| BLRS-001 | 2 | 0 | 39 | 10 |
| D3687-3RevB | 2 | 0 | 10 | 2 |
| AN3C10A | 2 | 0 | 0 | 4 |
| AN3-13A | 2 | 0 | 66 | 10 |
| SV-CC3251 | 2 | 0 | 95 | 50 |
| AN526-1032R12 | 2 | 0 | 0 | 0 |
| MS24693-S26 | 2 | 0 | 112 | 40 |
| A1449 | 2 | 0 | 168 | 50 |
| M12883/45-01 | 2 | 0 | 1211 | 95 |
| M81714/2-DC1 | 2 | 0 | 4 | 4 |
| MS35650-3252 | 2 | 0 | 2 | 4 |
| MS35649-264 | 2 | 0 | 48 | 5 |
| MS35275-233 | 2 | 0 | 53 | 10 |
| MS27039-1-05 | 2 | 0 | 68 | 20 |
| MS20392-2C17 | 2 | 0 | 119 | 10 |
| MS21919-WDG12 | 2 | 0 | 192 | 4 |
| MS35489-11 | 2 | 0 | 43 | 25 |
| AN814-6D | 2 | 0 | 31 | 20 |
| 30345T21 | 2 | 0 | 14 | 10 |
| MS17984-C413 | 2 | 0 | 40 | 0 |
| MS20392-2C9 | 2 | 0 | 12 | 6 |
| MS35206-231 | 2 | 0 | 11 | 0 |
| MS25281-R6 | 2 | 0 | 44 | 10 |
| | 2 | 0 | 86 | 6 |

2565 F